MITSUBISHI

# 三菱工業用ミシン部品カタログ

# Industrial Sewing Machine Parts Catalog

## Model PLK-B3530
## PLK-B3530L
## PLK-B6030

CSMP

目　次　CONTENTS　Page


| | | | |
|---|---|---|---|
| A | 全体構成 | Construcrion | 1 |
| B | 本体関係 (Ⅰ) | Arm bed & It's accessories (Ⅰ) | 2 |
| C | 本体関係 (Ⅱ) | Arm bed & It's accessories (Ⅱ) | 6 |
| D | 縫い機構 | Sewing mechanism | 8 |
| E | 中押え機構 | Presser bar lifting mechanism | 10 |
| F | 糸切り機構 | Thread trimming mechanism | 12 |
| G | X-Yテーブル機構(Ⅰ) | X-Y Table mechanism (Ⅰ) | 14 |
| H | X-Yテーブル機構(Ⅱ) | X-Y Table mechanism (Ⅱ) | 16 |
| J | 外押え機構 | Work holder mechanism | 18 |
| K | ワイパー機構・検出器 | Wiper & detector mechanism | 20 |
| L | 給油機構 | Oil lubrication mechanism | 22 |
| M | 配線・配管関係 | Cable component & Pneumatic control unit | 24 |
| N | テーブル関係 | Table & Stand | 26 |
| P | 附属品 | Accessories | 28 |
| R | オプションパーツ | Option parts | 30 |
| | 索引 | Index | 32 |


P-203B 199808

部品コードの採番形式

MITSUBISHI SPARE PARTS No. Designation system

1. 部品コードについて CONCERNING PARTS CODE.

部品をご注文される場合は、部品コードをお知らせください。

Please inform the part number, when these parts are ordered.







2. 変更マークについて CONCERNING MODIFICATION MARK.

変更マーク欄に＊記号のある部品は、形状、寸法などの変更履歴がありますので、ご注文の際にはご使用の製品の製造番号とあわせてご連絡ください。

The parts marked with * in the modification column has been changed the shape or size etc. So when these modified parts are ordered please inform the serial number of the sewing machine.

注：一般品についての機種形名は、その部品が最初に使用された機種形名を示します。従って長期にわたる場合は、機種の改廃が行われるため、当初の機種以外の機種で使用されている場合があります。

Sewing machine Models, of Standard Parts are Indicated model of these parts are registered firstly. Parts are used for not only the indicated model, but also another models, in reason of New development, improvement after.



# B 本体関係（Ⅰ）－1
# ARM BED AND IT'S ACCESSORIES（Ⅰ）－1






## B 本体関係（Ⅰ）－1
## ARM BED AND IT'S ACCESSORIES（Ⅰ）－1

| Fig No. | 部品コード Parts No. | 品名 | Description | 数量 Amt.Req. 3530 | 3530L | 6030 |
|---|---|---|---|---|---|---|
| B101 | MB35A0849 | ﾓｰﾀｶﾊﾞｰ(ﾋﾀﾞﾘ) | Motor cover(left) | 1 | 1 | |
| B101 | MB65A0849 | ﾓｰﾀｶﾊﾞｰ(ﾋﾀﾞﾘ) | Motor cover(left) | | | 1 |
| B102 | M91054004 | SW-PWﾌﾟﾗﾏｲﾅﾍﾞﾈｼﾞ M4×8 | Screw M4×8 | 14 | 14 | 14 |
| B103 | MN10A4742 | ﾌﾀ | Oil cap | 1 | 1 | 1 |
| B104 | MA20A0584 | ﾃﾝﾋﾞﾝｶﾊﾞｰ | Thread take-up cover | 1 | 1 | 1 |
| B105 | M91304080 | ｺﾞﾑｾﾝ | Rubber plug | 3 | 3 | 3 |
| B106 | M91910080 | ｺﾞﾑｾﾝ | Rubber plug | 6 | 6 | 6 |
| B107 | MG43A0181 | ｲﾄｱﾝﾅｲ(ﾅｶ) | Thread guide | 1 | 1 | 1 |
| B108 | M90990002 | ﾋﾗﾈｼﾞ M4×8 | Screw M4×8 | 3 | 3 | 3 |
| B109 | MF36A1180 | ｲﾄｱﾝﾅｲ | Thread guide | 1 | 1 | 1 |
| B110 | M91276004 | SW-PWﾌﾟﾗﾏｲﾅﾍﾞﾈｼﾞ M4×30 | Screw M4×30 | 5 | 5 | 5 |
| B111 | M90883080 | ｺﾞﾑｾﾝ | Rubber plug | 3 | 3 | 3 |
| B112 | MB35E0776 | ﾍﾞﾙﾄｶﾊﾞｰ | Belt cover | 1 | 1 | 1 |
| B113 | M91330004 | SW-PWﾌﾟﾗﾏｲﾅﾍﾞﾈｼﾞ M5×8 | Screw M5×8 | 3 | 3 | 3 |
| B114 | MB35A1849 | ﾓｰﾀｶﾊﾞｰ(ﾐｷﾞ) | Motor cover(right) | 1 | 1 | |
| B114 | MB65A1849 | ﾓｰﾀｶﾊﾞｰ(ﾐｷﾞ) | Motor cover(right) | | | 1 |
| B115 | M92701080 | ｺﾞﾑｾﾝ(φ27) | Rubber plug(φ27) | 2 | 2 | 2 |
| B116 | MA35A7339 | ｶﾊﾞｰ(ｳｼﾛ) | Cover(rear) | 1 | 1 | |
| B116 | MA60A1339 | ｶﾊﾞｰ(ｳｼﾛ) | Cover(rear) | | | 1 |
| B117 | M90436037 | ｻﾗﾈｼﾞ M4×8 | Screw M4×8 | 26 | 26 | 38 |
| B118 | MA35A8339 | ｶﾊﾞｰ(ﾅｶ) | Cover(middle) | 1 | 1 | |
| B118 | MA60A2339 | ｶﾊﾞｰ(ﾅｶ) | Cover(middle) | | | 1 |
| B119 | MA35A9339 | ｶﾊﾞｰ(ﾏｴ) | Cover(front) | 1 | 1 | |
| B119 | MA60A3339 | ｶﾊﾞｰ(ﾏｴ) | Cover(front) | | | 1 |
| B120 | MA36A0474 | ｽﾍﾞﾘｲﾀ(ﾐｷﾞ) | Slide plate (right) | 1 | 1 | |
| B120 | MA60A0474 | ｽﾍﾞﾘｲﾀ(ﾐｷﾞ) | Slide plate (right) | | | 1 |
| B121 | MA35A0361 | Lｶﾞﾀｶﾅｸﾞ | L-bracket | 4 | 4 | |
| B121 | MA20A0361 | Lｶﾞﾀｶﾅｸﾞ | L-bracket | | | 4 |
| B122 | M90511050 | ｻﾞｶﾞﾈ 5 | Washer 5 | 16 | 16 | 38 |
| B123 | M95002017 | ｾﾌﾃｨｿｹｯﾄ M5×12 | Bolt M5×12 | 8 | 8 | 16 |
| B124 | M90511056 | ｾﾌﾃｨｿｹｯﾄM5×8 | Bolt M5×8 | 8 | 8 | 22 |
| B125 | MA35A0429 | ｻｻｴｶﾅｸﾞ(ﾐｷﾞ) | Bracket (right) | 2 | 2 | |
| B125 | MA60A4426 | ｻｻｴｶﾅｸﾞ(ﾐｷﾞ) | Bracket (right) | | | 1 |
| B126 | MF70A1180 | ｲﾄｱﾝﾅｲ(ｼﾀ) | Thread guide | 1 | 1 | 1 |
| B127 | M90990002 | ﾋﾗﾈｼﾞ M4×8 | Screw M4×8 | 28 | 28 | 38 |
| B128 | M90906003 | ﾏﾙﾋﾗﾈｼﾞ9/64(40)×3.2 | Screw 9/64(40)×3.2 | 6 | 6 | 6 |
| B129 | MS01A0361 | ｶｹﾞｶﾞﾈ | Latch | 1 | 1 | 1 |
| B130 | MB60E6339 | ｼﾘﾝﾀﾞｰｶﾊﾞｰ(ｸﾐ) | Cylinder cover complete | 1 | 1 | 1 |
| B131 | M90909003 | ﾏﾙﾋﾗﾈｼﾞ11/64(40)×6 | Screw 11/64(40)×6 | 1 | 1 | 1 |
| B132 | M91079004 | ﾌﾟﾗﾏｲﾅﾍﾞﾈｼﾞ M4×16 | Screw M4×16 | 1 | 1 | 1 |
| B133 | MB60A0601 | ｱｲｶﾞｰﾄﾞｱﾀﾞﾌﾟﾀｰ | Eye guard adapter | 1 | 1 | 1 |
| B134 | M91110002 | ﾋﾗﾈｼﾞ11/64(40)×8 | Screw 11/64(40)×8 | 2 | 2 | 2 |
| B135 | M90806002 | ﾋﾗﾈｼﾞ1/8(44)×6 | Screw 1/8(44)×6 | 4 | 4 | 4 |
| B136 | MS01A1739 | ﾋﾝｼﾞ | Hinge | 1 | 1 | 1 |
| B137 | MS18A0470 | ｽﾍﾞﾘｲﾀ | Slide plate | 1 | 1 | 1 |
| B138 | MS01A0192 | ｲﾀﾊﾞﾈ | Leaf spring | 1 | 1 | 1 |
| B139 | MA35A0601 | ｱﾀﾞﾌﾟﾀｰ | Adapter | 2 | 2 | |
| B140 | M91058004 | SW-PWﾌﾟﾗﾏｲﾅﾍﾞﾈｼﾞ M4×6 | Screw M4×6 | 8 | 8 | |
| B141 | MA35A1429 | ｻｻｴｶﾅｸﾞ(ﾋﾀﾞﾘ) | Bracket (left) | 2 | 2 | |
| B141 | MA60A5426 | ｻｻｴｶﾅｸﾞ(ﾋﾀﾞﾘ) | Bracket (left) | | | 1 |

# B 本体関係（Ⅰ）－2
# ARM BED AND IT'S ACCESSORIES（Ⅰ）－2






## B 本体関係（Ⅰ）－2
## ARM BED AND IT'S ACCESSORIES（Ⅰ）－2

| Fig No. | 部品コード Parts No. | 品名 | Description | 数量 Amt.Req. 3530 | 3530L | 6030 |
|---|---|---|---|---|---|---|
| B142 | MA36A0473 | ｽﾍﾞﾘｲﾀ(ﾋﾀﾞﾘ) | Slide plate (left) | 1 | 1 | |
| B142 | MA36A0473 | ｽﾍﾞﾘｲﾀ(ﾋﾀﾞﾘ) | Slide plate (left) | | | 1 |
| B143 | MS01A1476 | ｽﾍﾟｰｻ | Spacer | 1 | 1 | 1 |
| B144 | MS03A1101 | ﾊﾘｲﾀ | Needle plate | 1 | 1 | 1 |
| B145 | M90605010 | ｻﾗﾈｼﾞ2/32(56)×2.8 | Screw 2/32(56)×2.8 | 2 | 2 | 2 |
| B146 | MS01A0160 | ｱｲｶﾞｰﾄﾞ | Eye guard | 1 | 1 | 1 |
| B147 | MS01A0477 | ｱﾃﾞｶﾞﾈ | Adapter | 1 | 1 | 1 |
| B148 | MB60E0830 | ﾒﾝｲﾀ | Face plate | 1 | 1 | 1 |
| B149 | M90432038 | ﾌﾟﾗﾏｲﾅﾍﾞﾈｼﾞ M4×30 | Screw M4×30 | 1 | 1 | 1 |
| B150 | MB61A2339 | ﾘﾝｸｶﾊﾞｰ | Link cover | 1 | 1 | 1 |
| B151 | MA60A0472 | ｽﾍﾞﾘｲﾀ(ﾅｶ) | Slide plate(center) | | | 1 |
| B152 | MA60A0601 | ｻｻｴﾄﾘｯｹｲﾀ(ﾋﾀﾞﾘ) | Bracket (left) | | | 1 |
| B153 | MA60A1601 | ｻｻｴﾄﾘｯｹｲﾀ(ﾐｷﾞ) | Bracket (right) | | | 1 |
| B154 | MA60A1426 | ｻｻｴｶﾅｸﾞ | Bracket | | | 2 |
| B155 | MA60A0426 | ｻｻｴｶﾅｸﾞ(ﾋﾀﾞﾘ) | Bracket (left) | | | 1 |
| B156 | MA60A2426 | ｻｻｴｶﾅｸﾞ(ﾐｷﾞ) | Bracket (right) | | | 1 |
| B157 | MA60A3426 | ｻｻｴｶﾅｸﾞ(ﾐｷﾞ) | Bracket (right) | | | 1 |
| B158 | MA60A6426 | ｻｻｴｶﾅｸﾞ(ﾋﾀﾞﾘ) | Bracket (left) | | | 1 |

## C 本体関係（Ⅱ）
## ARM BED AND IT'S ACCESSORIES（Ⅱ）



## C 本体関係（Ⅱ）
## ARM BED AND IT'S ACCESSORIES（Ⅱ）

| Fig No. | 部品コード Parts No. | 品名 | Description | 数量 Amt.Req. 3530 | 3530L | 6030 |
|---|---|---|---|---|---|---|
| C101 | MB62A0352 | ｽﾍﾟｰｻ | Spacer | 5 | 5 | 5 |
| C102 | MB45A0600 | ﾄｯﾌﾟｶﾊﾞｰ | Top cover | 1 | 1 | 1 |
| C103 | M91276004 | SW-PWﾂｷﾌﾟﾗﾏｲﾅﾍﾞﾈｼﾞM4×30 | Screw M4×30 | 5 | 5 | 5 |
| C104 | M91910080 | ｺﾞﾑｾﾝ | Rubber plug | 1 | 1 | 1 |
| C105 | MA20A1950 | ﾚﾊﾞｰ | Lever | 1 | 1 | 1 |
| C106 | MA20A0476 | ｽﾍﾟｰｻ | Spacer | 1 | 1 | 1 |
| C107 | MA10A0123 | ﾎﾞﾋﾞﾝ | Bobbin | 1 | 1 | 1 |
| C108 | M91057020 | ﾛｯｶｸｱﾅﾂｷﾄﾒﾈｼﾞM3×4 | Screw M3×4 | 4 | 4 | 4 |
| C109 | M94002017 | ｾﾌﾃｨｿｹｯﾄM4×8 | Bolt M4×8 | 2 | 2 | 2 |
| C110 | M90421050 | ｻﾞｶﾞﾈ4 | Washer 4 | 3 | 3 | 3 |
| C111 | MG75A1476 | ｽﾍﾟｰｻ | Spacer | 1 | 1 | 1 |
| C112 | MS14A1180 | ｲﾄｱﾝﾅｲ | Thread guide | 1 | 1 | 1 |
| C113 | MS14A0553 | ﾁｮｳｼﾎﾞｳ | Thread tension stud | 1 | 1 | 1 |
| C114 | MF10A0555 | ﾁｮｳｼｻﾞﾗ | Thread tension disc | 2 | 2 | 2 |
| C115 | MM11A0245 | ｴﾝｽｲﾊﾞﾈ | Thread tension spring | 1 | 1 | 1 |
| C116 | MM11A0702 | ﾊﾞﾈｱﾝﾅｲ | Spring guide | 1 | 1 | 1 |
| C117 | M91602046 | ﾂﾏﾐﾅｯﾄ | Thumb nut | 1 | 1 | 1 |
| C118 | MA04A1530 | ﾀﾞﾝﾂｷｼﾞｸ | Driven shaft | 1 | 1 | 1 |
| C119 | MA04A2530 | ﾀﾞﾝﾂｷｼﾞｸ | Shaft | 1 | 1 | 1 |
| C120 | M91055020 | ﾛｯｶｸｱﾅﾂｷﾄﾒﾈｼﾞM4×4 | Screw M4×4 | 2 | 2 | 2 |
| C121 | M90601064 | ｽﾌﾟﾘﾝｸﾞﾋﾟﾝ6×56 | Spring pin 6×56 | 1 | 1 | 1 |
| C122 | MS14A0350 | ｶﾑ | Cam | 1 | 1 | 1 |
| C123 | MS14A0572 | ﾂﾙﾏｷﾊﾞﾈ | Helical spring | 1 | 1 | 1 |
| C124 | MS03A0417 | ｺﾞﾑﾜ | Tire | 1 | 1 | 1 |
| C125 | MA20A0194 | ｲﾄﾏｷｸﾞﾙﾏ | Wheel | 1 | 1 | 1 |
| C126 | M99006063 | ﾂﾊﾞﾂｷｼﾞｸ | Pin | 1 | 1 | 1 |
| C127 | MB60E2750 | ﾌﾞｯｼｭｸﾐﾀﾃ | Bushing assy | 1 | 1 | 1 |
| C128 | MB60A1601 | ﾄﾘｯｹﾀﾞｲ | Bracket | 1 | 1 | 1 |
| C151 | M94006021 | ﾛｯｶｸｱﾅﾂｷﾄﾒﾈｼﾞ M4×6 | Screw M4×6 | 1 | 1 | 1 |
| C152 | MF90A0181 | ｲﾄｱﾝﾅｲ(ﾌﾟﾘﾃﾝｼｮﾝ) | Thread guide | 1 | 1 | 1 |
| C153 | MF90A0553 | ﾁｮｳｼﾎﾞｳ | Thread tension stud | 1 | 1 | 1 |
| C154 | MF10A1555 | ﾁｮｳｼｻﾗ | Thread tension discs | 2 | 2 | 2 |
| C155 | MF36A0245 | ｴﾝｽｲﾊﾞﾈ | Thread tension spring | 1 | 1 | 1 |
| C156 | M91101046 | ﾂﾏﾐﾅｯﾄ | Thumb nut | 1 | 1 | 1 |
| C157 | M91605045 | ﾁｮｳｾﾂﾅｯﾄ | Thumb nut | 1 | 1 | 1 |
| C158 | MT60A0802 | ｶｲﾘﾄﾒ | Thumb nut revolution stopper | 1 | 1 | 1 |
| C159 | MN52A1245 | ｴﾝｽｲﾊﾞﾈ | Thread tension spring | 1 | 1 | 1 |
| C160 | MM11A0556 | ﾁｮｳｼｻﾗｵｻｴ | Thread tension releasing disc | 1 | 1 | 1 |
| C161 | MF10A0555 | ﾁｮｳｼｻﾗ | Thread tension discs | 2 | 2 | 2 |
| C162 | M90204060 | ﾋﾟﾝ | Thread tension releasing pin | 1 | 1 | 1 |
| C163 | MF10A0553 | ﾁｮｳｼﾎﾞｳ | Thread tension stud | 1 | 1 | 1 |
| C164 | MF10A0187 | ｲﾄﾄﾘﾘﾊﾞﾈ | Thread take-up spring | 1 | 1 | 1 |
| C165 | MF10A0709 | ﾌﾞｯｼｭ | Bushing | 1 | 1 | 1 |
| C166 | M90901002 | ﾋﾗﾈｼﾞ 9/64(40)×4 | Screw 9/64(40)×4 | 1 | 1 | 1 |
| C167 | MF10A0181 | ｲﾄｱﾝﾅｲ(ｼﾀ) | Thread guide | 1 | 1 | 1 |
| C168 | MF70A1180 | ｲﾄｱﾝﾅｲ | Thread guide | 1 | 1 | 1 |
| C901 | MF00E0550 | ﾁｮｳｾﾂｷ(ｸﾐ)(ﾌﾟﾘﾃﾝｼｮﾝ) | Pre-tension complete | 1 | 1 | 1 |
| C902 | MA16E0210 | ｳﾜｲﾄﾁｮｳｾﾂｷ(ｸﾐ) | Thread tension regulator | 1 | 1 | 1 |


125 126
111 112 113 114 115 116 117 118 119 120 121 (114) 122 123 124
107
901
902
128 127
129
(120)
135
136
(116)
137
(116)
138
134
130
152 153
133
106
110
131
150 151
105
109
132
(148)
108
147 148 149
104
102 139 140 141 142 143 144 145 146 (144) (145)
103
101
(148) 154 〔903〕
155
156
157
158
159
161 160
167 166 165 164 163 162 (158) (157) (156)

# D 縫い機構
# SEWING MECHANISM

| Fig No. | 部品コード Parts No. | 品名 | Description | 数量 Amt.Req. 3530 | 3530L | 6030 |
|---|---|---|---|---|---|---|
| D102 | M90815002 | ﾋﾗﾈｼﾞ1/8(44)×4.5 | Screw 1/8(44)×4.5 | 1 | 1 | 1 |
| D103 | MF21D0181 | ｲﾄｱﾝﾅｲ | Thread guide | 1 | 1 | 1 |
| D104 | MF01A0181 | ｲﾄｱﾝﾅｲ | Thread guide | 1 | 1 | 1 |
| D105 | MG30A0664 | ﾊﾘﾎﾞｳﾒﾀﾙ(ｼﾀ) | Needle bar bushing (L) | 1 | 1 | 1 |
| D106 | MS01A0660 | ﾊﾘﾎﾞｳ | Needle bar | 1 | 1 | 1 |
| D107 | MS01A0663 | ﾊﾘﾎﾞｳﾒﾀﾙ(ｳｴ) | Needle bar bushing (U) | 1 | 1 | 1 |
| D108 | M91110002 | ﾋﾗﾈｼﾞ11/64(40)×8 | Screw 11/64(40)×8 | 7 | 7 | 7 |
| D109 | MF10A0325 | ｶｸｺﾏ | Square block | 1 | 1 | 1 |
| D110 | MS03E0662 | ﾊﾘｸｶﾞｲﾄﾞ(ｸﾐ) | Guide complete | 1 | 1 | 1 |
| D111 | M91221001 | ﾄﾒﾈｼﾞ M5×12 | Screw M5×12 | 1 | 1 | 1 |
| D112 | M91802006 | ﾎﾞｳｻｷﾋﾗﾈｼﾞ | Screw | 1 | 1 | 1 |
| D113 | MA20A0740 | ﾌｪﾙﾄ | Felt | 1 | 1 | 1 |
| D114 | MS10A1740 | ﾌｪﾙﾄ | Felt | 2 | 2 | 2 |
| D115 | MF80A0352 | ｶﾗｰ | Collar | 1 | 1 | 1 |
| D116 | M91602001 | ﾄﾒﾈｼﾞ1/4(40)×4 | Screw 1/4(40)×4 | 2 | 2 | 2 |
| D117 | MS14A0682 | ﾌﾟｰﾘｰ | Pulley | 1 | 1 | 1 |
| D118 | M94006021 | ﾛｸｶｸｱﾅﾂｷﾄﾒﾈｼﾞ M4×6 | Screw M4×6 | 2 | 2 | 2 |
| D119 | MF40A0333 | ｶｻﾊｸﾞﾙﾏ | Bevel gear | 1 | 1 | 1 |
| D120 | M91606001 | ｱﾀﾏﾅｼﾄﾒﾈｼﾞ1/4(40)×6 | Screw 1/4(40)×6 | 4 | 4 | 4 |
| D121 | MA35A0833 | ﾒﾀﾙ | Bushing | 1 | 1 | 1 |
| D122 | MF60A2740 | ﾌｪﾙﾄ | Felt | 2 | 2 | 2 |
| D123 | M91607001 | ﾄﾒﾈｼﾞ(40)×4 | Screw (40)×4 | 2 | 2 | 2 |
| D124 | MB35A0230 | ｳﾜｼﾞｸ | Arm shaft | 1 | 1 | 1 |
| D125 | MB60E0956 | ﾚﾝｾﾂｶﾝ | Connecting link | 1 | 1 | 1 |
| D126 | M91203002 | ﾋﾗﾈｼﾞ(28)×15 | Screw (28)×15 | 2 | 2 | 2 |
| D127 | MS01A0350 | ｲﾄｷﾘﾘｶﾑ | Thread trimmer cam | 1 | 1 | 1 |
| D128 | MS10A0234 | ｳﾜｼﾞｸﾒﾀﾙ(ﾅｶ) | Arm shaft bushing (M) | 1 | 1 | 1 |
| D129 | M91224001 | ﾄﾒﾈｼﾞ M5×8 | Screw M5×8 | 2 | 2 | 2 |
| D130 | MA35A2572 | ﾂﾙﾏｷﾊﾞﾈ | Spring | 1 | 1 | 1 |
| D131 | MA35A3530 | ﾀﾞﾝﾂｷｼﾞｸ | Shaft | 1 | 1 | 1 |
| D132 | MA35A0682 | ﾌﾟｰﾘ | Pulley | 1 | 1 | 1 |
| D133 | M91502002 | ﾋﾗﾈｼﾞ(28)×12 | Screw (28)×12 | 4 | 4 | 4 |
| D134 | MB35A0833 | ﾒﾀﾙ | Bushing | 1 | 1 | 1 |
| D135 | MF40A0331 | ｶｻﾊｸﾞﾙﾏ(ｳﾜｼﾞｸ) | Bevel gear for arm shaft | 1 | 1 | 1 |
| D136 | MS10A0232 | ｳﾜｼﾞｸﾒﾀﾙ(ﾋﾀﾞﾘ) | Arm shaft bushing (L) | 1 | 1 | 1 |
| D137 | M91606001 | ｱﾀﾏﾅｼﾄﾒﾈｼﾞ1/4(40)×6 | Screw 1/4(40)×6 | 1 | 1 | 1 |
| D138 | MS01A0383 | ｸﾗﾝｸ | Crank | 1 | 1 | 1 |
| D139 | M95001021 | ﾛｸｶｸｱﾅﾂｷﾎﾞﾙﾄ M5×16 | Bolt M5×16 | 1 | 1 | 1 |
| D140 | M90853002 | ﾋﾗﾈｼﾞ1/8(40)×4 | Screw 1/8(40)×4 | 2 | 2 | 2 |
| D141 | MS01A0329 | ｶﾏｲﾄｱﾝﾅｲ | Thread guide | 1 | 1 | 1 |
| D142 | MS01A0121 | ｿﾄｶﾞﾏ | Outer hook | 1 | 1 | 1 |
| D143 | M90001060 | ﾍｲｺｳﾋﾟﾝ 6-4×18 | Pin m6-4×18 | 1 | 1 | 1 |
| D144 | MM11A0352 | ｶﾗｰ | Collar | 1 | 1 | 1 |
| D145 | M91503001 | ﾄﾒﾈｼﾞ 15/64(28)×4.5 | Screw 15/64(28)×6 | 4 | 4 | 4 |
| D146 | MB62A0453 | ｼﾀｼﾞｸﾒﾀﾙ(ﾅｶ) | Hook shaft bushing (middle) | 1 | 1 | 1 |
| D147 | MS01A0833 | ﾒﾀﾙ | Bushing | 1 | 1 | 1 |
| D148 | M91222001 | ﾄﾒﾈｼﾞ M5×6 | Screw M5×6 | 3 | 3 | 3 |
| D149 | M91802045 | ﾅｯﾄ | Nut | 1 | 1 | 1 |
| D150 | M95004021 | ﾛｸｶｸｱﾅﾂｷﾄﾒﾈｼﾞ M5×5 | Screw M5×5 | 1 | 1 | 1 |
| D151 | MS01A0508 | ｾｸﾀﾊｸﾞﾙﾏ | Sector gear | 1 | 1 | 1 |
| D152 | M98003015 | ﾀﾞﾝﾂｷﾋﾗﾈｼﾞ M8 | Screw M8 | 1 | 1 | 1 |
| D153 | MS01A0891 | ﾖｳﾄﾞｳｼﾞｸ | Rock shaft | 1 | 1 | 1 |
| D154 | MS03A8833 | ﾒﾀﾙ | Hook shaft bushing | 1 | 1 | 1 |
| D155 | MA35A1833 | ﾒﾀﾙ | Bushing | 1 | 1 | 1 |
| D156 | M90500085 | Oﾘﾝｸﾞ | O-ring | 2 | 2 | 2 |
| D157 | MS01A0761 | ﾍﾝｼﾝｼﾞｸ | Eccentric shaft | 2 | 2 | 2 |
| D158 | M96002020 | ｸﾎﾞﾐｻｷﾄﾒﾈｼﾞ M6×6 | Screw M6×6 | 2 | 2 | 2 |
| D159 | M90802003 | ﾏﾙﾋﾗﾈｼﾞ1/8(44)×4.5 | Screw 1/8(44)×4.5 | 2 | 2 | 2 |
| D160 | M93006050 | ｻﾞｶﾞﾈ | Washer | 2 | 2 | 2 |
| D161 | MS01A0572 | ﾂﾙﾏｷﾊﾞﾈ | Spring | 2 | 2 | 2 |
| D162 | MS09A0950 | ｶﾏｵｻｴﾂﾏﾐ | Hook clamp | 2 | 2 | 2 |
| D163 | MS01A0611 | ﾄﾞﾗｲﾊﾞｰ | Hook driver | 1 | 1 | 1 |
| D164 | MA10A0120 | ﾅｶｶﾞﾏ | Inner hook | 1 | 1 | 1 |
| D165 | MS01A0616 | ﾅｶｶﾞﾏｵｻｴ | Hook retainer | 1 | 1 | 1 |
| D166 | MA10A0123 | ﾎﾞﾋﾞﾝ | Bobbin | 1 | 1 | 1 |
| D167 | MS17A0125 | ﾎﾞﾋﾞﾝｹｰｽ | Bobbin case | 1 | 1 | 1 |
| D901 | MS01E0580 | ﾃﾝﾋﾞﾝﾊﾘｸ(ｸﾐ) | Thread take-up lever complete | 1 | 1 | 1 |
| D902 | MF01E0331 | ｶｻﾊｸﾞﾙﾏ(ｸﾐ) | Bevel gear (assy.) | 1 | 1 | 1 |
| D903 | MA35E0450 | ｼﾀｼﾞｸ(ｸﾐ) | Hook shaft complete | 1 | 1 | 1 |

## E 中押え機構
## PRESSER BAR LIFTING MECHANISM



# E 中押え機構
# PRESSER BAR LIFTING MECHANISM

| Fig No. | 部品コード Parts No. | 品名 | Description | 数量 Amt.Req. 3530 | 3530L | 6030 |
|---|---|---|---|---|---|---|
| E101 | M91801035 | ﾁｮｳｾﾂﾈｼﾞ9/32(28)×35 | Adjusting screw 9/32(28) | 1 | 1 | 1 |
| E102 | M91802045 | ﾅｯﾄ9/32(28) | Nut 9/32(28) | 1 | 1 | 1 |
| E103 | MG30B1261 | ｵｻｴﾁｮｳｾﾂﾂﾞｲ | Presser regulating bracket | 1 | 1 | 1 |
| E104 | MG30A0833 | ｼﾞｮｳﾌﾞｼﾞｮｳｹﾞﾒﾀﾙ | bushing | 2 | 2 | 2 |
| E105 | M94006021 | ﾛｯｶｸｱﾅﾂｷﾄﾒﾈｼﾞM4×6 | Screw M4×6 | 2 | 2 | 2 |
| E106 | M91603003 | ﾏﾙﾋﾗﾈｼﾞ1/4(40)×16 | Screw 1/4(40)×16 | 1 | 1 | 1 |
| E107 | MS02A0463 | ｼﾞｮｳﾌﾞｼﾞｮｳｹﾞｵｸﾘｳﾃﾞ(ﾐｷﾞ) | Foot lifting rock shaft crank | 1 | 1 | 1 |
| E108 | M90631050 | ｻﾞｶﾞﾈ6 | Washer 6 | 1 | 1 | 1 |
| E109 | MG30B0384 | ｸﾗﾝｸﾛｯﾄﾞ | Crank rod | 1 | 1 | 1 |
| E110 | M91551015 | ﾄｸｼｭﾎﾞﾙﾄ | Special bolt | 1 | 1 | 1 |
| E111 | MF60A0700 | ｾﾝｻｲｸﾊﾞﾈ | Spring | 1 | 1 | 1 |
| E112 | MG30B0740 | ﾌｪﾙﾄ | Felt | 1 | 1 | 1 |
| E113 | M90325065 | Cｶﾞﾀﾄﾒﾜ25 | C-type snap ring 25 | 1 | 1 | 1 |
| E114 | MG30A0760 | ﾍﾝｼﾝﾘﾝ | Foot lifting eccentric | 1 | 1 | 1 |
| E115 | M91606001 | ｱﾀﾏﾅｼﾄﾒﾈｼﾞ1/4(40)×6 | Screw 1/4(40)×6 | 2 | 2 | 2 |
| E116 | M91572045 | Uﾅｯﾄ6×0.75 | U-nut 6×0.75 | 1 | 1 | 1 |
| E117 | MS03A2572 | ﾂﾙﾏｷﾊﾞﾈ | Spring | 1 | 1 | 1 |
| E118 | MG10B0763 | ﾍﾞﾙｸﾗﾝｸ | Bell crank | 1 | 1 | 1 |
| E119 | M91210002 | ﾋﾗﾈｼﾞ3/16(28)×10 | Screw 3/16(28)×10 | 2 | 2 | 2 |
| E120 | MS03A6154 | ｱﾝﾅｲｶﾞﾈｸﾐﾀﾃ | Spring guide bar assy | 1 | 1 | 1 |
| E121 | MS02A2352 | ｶﾗｰ | Collar | 1 | 1 | 1 |
| E122 | MG30B0226 | ｵｻｴｲﾀｻｻｴ | Guide bar adapter | 1 | 1 | 1 |
| E123 | M90301064 | ｽﾌﾟﾘﾝｸﾞﾋﾟﾝ3×8 | Spring pin 3×8 | 2 | 2 | 2 |
| E124 | M91054004 | SW-PWﾂｷﾌﾟﾗﾏｲﾅﾍﾞﾈｼﾞM4×8 | Screw M4×8 | 4 | 4 | 4 |
| E125 | MS05A0765 | ﾍﾞﾙｸﾗﾝｸｶﾞｲﾄﾞ | Bell crank guide | 1 | 1 | 1 |
| E126 | MG10B0411 | ｺﾛ | Roller | 1 | 1 | 1 |
| E127 | M90507063 | ｺﾛｼﾞｸ | Bell crank guide pin | 1 | 1 | 1 |
| E128 | M91681015 | ﾀﾞﾝﾂｷﾋﾗﾈｼﾞ1/4(40)×12 | Screw 1/4(40)×12 | 1 | 1 | 1 |
| E129 | MG10B0910 | ﾚﾝｾﾂｶﾝ | Link | 1 | 1 | 1 |
| E130 | MS02E0460 | ｼﾞｮｳﾌﾞｼﾞｮｳｹﾞｳﾃﾞｸﾐﾀﾃ(ﾋﾀﾞﾘ) | Foot lifting rock shaft assy | 1 | 1 | 1 |
| E140 | M92075045 | ﾅｯﾄ M8 | Nut M8 | 1 | 1 | 1 |
| E141 | M98012021 | ﾛｯｶｸｱﾅﾂｷﾄﾒﾈｼﾞ M8×55 | Screw M8×55 | 1 | 1 | 1 |
| E142 | MA35A0252 | ｵｻｴｱｹﾞﾚﾊﾞｰ | lifting lever | 1 | 1 | 1 |
| E143 | MA35A0910 | ﾘﾝｸ | Link | 1 | 1 | 1 |
| E144 | M90511065 | Eｶﾞﾀﾄﾒﾜ6 | E-Type retaining ring 6 | 4 | 4 | 4 |
| E145 | MA35A0950 | ﾚﾊﾞｰ | Lever | 1 | 1 | 1 |
| E146 | M91222001 | ﾄﾒﾈｼﾞ M5×6 | Screw M5×6 | 2 | 2 | 2 |
| E147 | MA35A0530 | ﾀﾞﾝﾂｷｼﾞｸ | Holder | 1 | 1 | 1 |
| E148 | MA20A0571 | ﾜﾝﾀｯﾁﾂｷﾞﾃ | Connector | 2 | 2 | 2 |
| E149 | MA35A1530 | ﾀﾞﾝﾂｷｼﾞｸ | Shaft | 1 | 1 | 1 |
| E150 | M99009063 | ﾋﾟﾝ | Pin | 1 | 1 | 1 |
| E151 | MA20A0454 | ｼﾞｸ | Shaft | 1 | 1 | 1 |
| E152 | MA20A1352 | ｶﾗｰ | Collar | 1 | 1 | 1 |
| E153 | M91503001 | ﾄﾒﾈｼﾞ15/64(28)×4.5 | Screw 15/64(28)×4.5 | 2 | 2 | 2 |
| E154 | M91225015 | ﾀﾞﾝﾂｷﾋﾗﾈｼﾞ3/16(28)×5.5 | Screw 3/16(28)×5.5 | 1 | 1 | 1 |
| E155 | M90415060 | ｲﾄﾕﾙﾒﾋﾟﾝ | Thread releasing pin | 1 | 1 | 1 |
| E156 | MG30B1222 | ｲﾄﾕﾙﾒ | Thread releasing cam | 1 | 1 | 1 |
| E157 | MG30A0154 | ｱﾝﾅｲｶﾞﾈ | Guide plate | 1 | 1 | 1 |
| E158 | M91058004 | SW-PWﾌﾟﾗﾏｲﾅﾍﾞﾈｼﾞ M4×6 | Screw M4×6 | 2 | 2 | 2 |
| E159 | MB62A0626 | ﾆｰﾄﾞﾙｶﾞｰﾄﾞ | Finger protector | 1 | 1 | 1 |
| E160 | M90922002 | ﾋﾗﾈｼﾞ9/64(40)×8 | Screw 9/64(40)×8 | 1 | 1 | 1 |
| E161 | MV30A0256 | ﾅｶｵｻｴ(φ3) | Presser foot (φ3) | 1 | 1 | 1 |
| E162 | MF10A0267 | ｵｻｴﾎﾞｳﾒﾀﾙ | Presser bar bushing | 1 | 1 | 1 |
| E163 | MS03A0262 | ｵｻｴﾎﾞｳ | Presser bar | 1 | 1 | 1 |
| E164 | M91506001 | ｱﾀﾏﾅｼﾄﾒﾈｼﾞ15/64(28)×7 | Screw 15/64(28)×7 | 1 | 1 | 1 |
| E165 | MG10B0265 | ｵｻｴﾎﾞｳﾀﾞｷ | Presser bar holder | 1 | 1 | 1 |
| E166 | MS03A1572 | ｵｻｴﾊﾞﾈ | Presser bar spring | 1 | 1 | 1 |
| E167 | M90632050 | ｺｻﾞｶﾞﾈ6 | Washer 6 | 1 | 1 | 1 |
| E168 | MS03A0703 | ｱﾝﾅｲﾎﾞｳ | Presser bar guide | 1 | 1 | 1 |
| E169 | M93202047 | ﾄｸｼｭﾅｯﾄ1/2(28) | Special nut 1/2(28) | 1 | 1 | 1 |
| E170 | M93220035 | ﾂﾏﾐﾈｼﾞ1/2(28)×43 | Thumb screw 1/2(28)×43 | 1 | 1 | 1 |
| E901 | MA20E0434 | ｴｱｼﾘﾝﾀﾞｸﾐﾀﾃ | Air cylinder assy. | 1 | 1 | 1 |

# F 糸切り機構
# THREAD TRIMMING MECHANISM



# F 糸切り機構
# THREAD TRIMMING MECHANISM

| Fig No. | 部品コード Parts No. | 品名 | Description | 数量 Amt.Req. 3530 | 3530L | 6030 |
|---|---|---|---|---|---|---|
| F101 | M91054004 | SW-PWﾌﾟﾗﾏｲﾅﾍﾞﾈｼﾞM4×8 | Screw M4×8 | 1 | 1 | 1 |
| F102 | MA35E0746 | ﾌﾚｷｼﾌﾞﾙﾜｲﾔ(ｸﾐ) | Flexible wire (complete) | 1 | 1 | 1 |
| F103 | M91379045 | ﾅｯﾄ M5 | Nut M5 | 7 | 7 | 7 |
| F104 | MA20A0603 | ｿﾚﾉｲﾄﾞﾄﾘｯｹﾀﾞｲ | Solenoid adapter | 1 | 1 | 1 |
| F105 | MF90A0361 | ｶｹｶﾞﾈ | Bracket | 1 | 1 | 1 |
| F106 | MF36A0750 | ﾌﾞｯｼｭ | Holder | 1 | 1 | 1 |
| F107 | M90802002 | ﾋﾗﾈｼﾞ1/8(44)×7 | Screw 1/8(44)×7 | 2 | 2 | 2 |
| F108 | M91127015 | ﾀﾞﾝﾂｷﾋﾗﾈｼﾞ11/64(40) | Screw 11/64(40) | 1 | 1 | 1 |
| F109 | MS07A0228 | ｳﾃﾞ | Crank | 1 | 1 | 1 |
| F110 | M91112002 | ﾋﾗﾈｼﾞ11/64(40)×12 | Screw 11/64(40)×12 | 1 | 1 | 1 |
| F111 | M91067004 | SW-PWﾌﾟﾗﾏｲﾅﾍﾞﾈｼﾞ M5×10 | Screw M5×10 | 2 | 2 | 2 |
| F112 | M91002045 | ﾅｯﾄ M4 | Nut M4 | 4 | 4 | 4 |
| F113 | M90401053 | ﾊﾞﾈｻﾞｶﾞﾈ 4 | Spring washer 4 | 4 | 4 | 4 |
| F114 | M90450050 | ｻﾞｶﾞﾈ 4 | Washer 4 | 5 | 5 | 5 |
| F115 | MB60E5519 | ﾛｰﾀﾘｿﾚﾉｲﾄﾞｸﾐﾀﾃ(ｲﾄﾕﾙﾒ) | Rotary solenoid assy | 1 | 1 | 1 |
| F116 | MS01A1572 | ﾂﾙﾏｷｷﾊﾞﾈ | Spring | 1 | 1 | 1 |
| F117 | MS01A0348 | ｶﾑｼﾞｸ | Shaft | 1 | 1 | 1 |
| F118 | M95003021 | ﾛｸｶｸｱﾅﾂｷﾎﾞﾙﾄ M5×12 | Bolt M5×12 | 1 | 1 | 1 |
| F119 | MS01A3352 | ｶﾗｰ | Collar | 2 | 2 | 2 |
| F120 | M95004021 | ﾛｸｶｸｱﾅﾂｷﾄﾒﾈｼﾞ M5×5 | Screw M5×5 | 4 | 4 | 4 |
| F121 | M91608005 | ﾎﾞｳｻｷﾄﾒﾈｼﾞ15/64(28)×32 | Screw 15/64(28)×32 | 1 | 1 | 1 |
| F122 | M91503045 | ﾅｯﾄ15/64(28) | Nut15/64(28) | 1 | 1 | 1 |
| F123 | M91056004 | SW-PWﾌﾟﾗﾏｲﾅﾍﾞﾈｼﾞ M4×10 | Screw M4×10 | 3 | 3 | 3 |
| F124 | MS01E0430 | ｲﾄｷﾘｻﾄﾞｳｳﾃﾞ | Crank complete | 1 | 1 | 1 |
| F125 | MB60E2519 | ﾛｰﾀﾘｿﾚﾉｲﾄﾞｸﾐﾀﾃ(ｲﾄｷﾘ) | Rotary solenoid assy | 1 | 1 | 1 |
| F126 | MS14A3601 | ｿﾚﾉｲﾄﾞﾄﾘｯｹｲﾀ | Solenoid adapter | 1 | 1 | 1 |
| F127 | M91101015 | ﾀﾞﾝﾂｷﾋﾗﾈｼﾞ11/64(40) | Screw 11/64(40) | 1 | 1 | 1 |
| F128 | M91104045 | ﾅｯﾄ11/64(40) | Screw 11/64(40) | 1 | 1 | 1 |
| F129 | MS01E0351 | ｶﾑﾂｲｼﾞｭｳｳﾃﾞｸﾐﾀﾃ | Cam follower assy | 1 | 1 | 1 |
| F130 | MS14A3603 | ﾄﾘｯｹﾀﾞｲ | Bracket | 1 | 1 | 1 |
| F131 | MS01A4454 | ｼﾞｸ | Shaft | 1 | 1 | 1 |
| F132 | M96062021 | ﾛｯｶｸｱﾅﾂｷﾎﾞﾀﾝﾎﾞﾙﾄ M6×12 | Bolt M6×12 | 2 | 2 | 2 |
| F133 | M90101017 | ﾀﾞﾝﾂｷﾎﾞﾙﾄ11/64(40) | Bolt 11/64(40) | 2 | 2 | 2 |
| F134 | M91108001 | ﾄﾒﾈｼﾞ11/64(40)×5.5 | Screw 11/64(40)×5.5 | 1 | 1 | 1 |
| F135 | M91082004 | ﾌﾟﾗﾏｲﾅﾍﾞﾈｼﾞ M4×45 | Screw M4×45 | 1 | 1 | 1 |
| F136 | MB35A0708 | ﾊﾞﾈｶｹｲﾀ | Spring holder | 1 | 1 | 1 |
| F137 | MA35A0572 | ﾂﾙﾏｷﾊﾞﾈ | Spring | 1 | 1 | 1 |
| F138 | M90501053 | ﾊﾞﾈｻﾞｶﾞﾈ 5 | Spring washer 5 | 1 | 1 | 1 |
| F139 | M90550050 | ｻﾞｶﾞﾈ 5 | Washer 5 | 1 | 1 | 1 |
| F140 | M91109045 | ﾅｯﾄ11/64(40) | Nut 11/64(40) | 1 | 1 | 1 |
| F141 | MS01A1392 | ﾒｽｸﾄﾞｳｳﾃﾞ | Knife driving crank | 1 | 1 | 1 |
| F142 | MS01A2392 | ﾒｽｸﾄﾞｳｳﾃﾞ | Knife driving crank | 1 | 1 | 1 |
| F143 | MN55A0975 | ﾛｯﾄﾞｴﾝﾄﾞ | Ball joint | 2 | 2 | 2 |
| F144 | M90507023 | ｳｴｺﾐﾎﾞﾙﾄ | Stud bolt | 1 | 1 | 1 |
| F145 | M91383045 | ﾅｯﾄ M5 | Nut M5 | 1 | 1 | 1 |
| F146 | MA35A0708 | ﾊﾞﾈｶｹ | Hook | 1 | 1 | 1 |
| F147 | MA35A1572 | ﾂﾙﾏｷﾊﾞﾈ | Spring | 1 | 1 | 1 |
| F148 | M94002067 | ﾐｿﾞﾂｷﾋﾟﾝ | Pin | 1 | 1 | 1 |
| F149 | M91101017 | ﾀﾞﾝﾂｷﾎﾞﾙﾄ11/64(40) | Screw 11/64(40) | 1 | 1 | 1 |
| F150 | MA20A1910 | ﾘﾝｸ | Link | 1 | 1 | 1 |
| F151 | M90513065 | Eｶﾞﾀﾄﾒﾜ2.5 | Snap ring 2.5 | 1 | 1 | 1 |
| F152 | M91129015 | ﾀﾞﾝﾂｷﾋﾗﾈｼﾞ11/64(40) | Screw 11/64(40) | 1 | 1 | 1 |
| F153 | M96004052 | ｻﾞｶﾞﾈ 6 | Wave washer 6 | 1 | 1 | 1 |
| F154 | MS03B0838 | ｲﾄﾞｳﾒｽ(ｸﾐ) | Movable knife complete | 1 | 1 | 1 |
| F155 | M90906003 | ﾏﾙﾋﾗﾈｼﾞ9/64(40)×3.2 | Screw 9/64(40)×3.2 | 2 | 2 | 2 |
| F156 | MS14A0838 | ｺﾃｲﾒｽ | Fixed knife | 1 | 1 | 1 |
| F157 | MA10B2476 | ｽﾍﾟｰｻ(ﾒｽﾖｳ) | Spacer | 1 | 1 | 1 |
| F158 | MB62A0454 | ﾂﾊﾞﾂｷｼﾞｸ | Stepped pin | 1 | 1 | 1 |
| F159 | M91214015 | ﾀﾞﾝﾂｷﾋﾗﾈｼﾞ3/16(28) | Screw 3/16(28) | 1 | 1 | 1 |
| F160 | MA20A0392 | ﾒｽｸﾄﾞｳｳﾃﾞ | Knife driving crank | 1 | 1 | 1 |
| F161 | M94002017 | ｾﾌﾃｨｿｹﾂﾄ M4×8 | Bolt M4×8 | 1 | 1 | 1 |
| F162 | M90421050 | ｻﾞｶﾞﾈ 4 | Washer 4 | 1 | 1 | 1 |
| F163 | M95004023 | ｳｴｺﾐﾎﾞﾙﾄ | Stud bolt | 1 | 1 | 1 |
| F164 | M91374045 | ﾅｯﾄ (ﾋﾀﾞﾘM5) | Nut M5 (left) | 1 | 1 | 1 |
| F165 | MA20A4454 | ﾂﾊﾞﾂｷｼﾞｸ | Stepped pin | 1 | 1 | 1 |
| F166 | MN72A0975 | ﾛｯﾄﾞｴﾝﾄﾞ(ﾋﾀﾞﾘ) | Ball joint | 1 | 1 | 1 |
| F167 | MA35A1950 | ﾚﾊﾞｰ | Lever | 1 | 1 | 1 |
| F168 | M91050020 | ﾄｸｶｸｱﾅﾂｷﾄﾒﾈｼﾞ M4×5 | Screw M4×5 | 1 | 1 | 1 |
| F169 | MA35A2530 | ﾀﾞﾝﾂｷｼﾞｸ | Shaft | 1 | 1 | 1 |
| F901 | MS01E0975 | ﾛｯﾄﾞｴﾝﾄﾞｸﾐﾀﾃ | Connecting link assy | 1 | 1 | 1 |
| F902 | MB35E0975 | ﾛｯﾄﾞｴﾝﾄﾞｸﾐﾀﾃ | Connecting link assy | 1 | 1 | 1 |

## G X-Y テーブル機構（Ⅰ）
## X-Y TABLE MECHANISM（Ⅰ）



## G X-Yテーブル機構（Ⅰ）
## X-Y TABLE MECHANISM（Ⅰ）

| Fig No. | 部品コード Parts No. | 品名 | Description | 数量 Amt.Req. 3530 | 3530L | 6030 |
|---|---|---|---|---|---|---|
| G101 | M91058004 | SW-PWﾌﾟﾗﾏｲﾅﾍﾞﾈｼﾞ M4×6 | Screw M4×6 | 12 | 12 | 12 |
| G102 | MA35A0226 | ｼﾞｬﾊﾞﾗﾄﾘﾂｹｲﾀ | Shutter adapter | 2 | | |
| G102 | MA60A0226 | ｼﾞｬﾊﾞﾗﾄﾘﾂｹｲﾀ | Shutter adapter | | 2 | 2 |
| G103 | MA60A1226 | ｼﾞｬﾊﾞﾗﾄﾘﾂｹｲﾀ | Shutter adapter | 4 | 4 | 4 |
| G104 | M90859004 | ﾌﾟﾗﾏｲﾅﾍﾞﾈｼﾞ M3×16 | Screw M3×16 | 20 | 20 | 20 |
| G105 | M90317050 | ｻﾞｶﾞﾈ 3 | Washer 3 | 73 | 73 | 73 |
| G106 | M94012017 | ｾﾌﾃｨｿｹｯﾄ M4×8 | Bolt M4×8 | 24 | 24 | 24 |
| G107 | MA35A1361 | ｲﾁｷﾞﾒｶﾅｸﾞ | Guide plate | 1 | 1 | 1 |
| G108 | M94002017 | ｾﾌﾃｨｿｹｯﾄ M4×8 | Bolt M4×8 | 6 | 6 | 6 |
| G109 | MA60A0957 | Yｼﾞｸｲﾄﾞｳﾚｰｽ | Y-movable race | 1 | 1 | 1 |
| G110 | MB65A0228 | ｼﾞｬﾊﾞﾗﾄﾘﾂｹｲﾀ | Shutter adapter | 1 | 1 | 1 |
| G111 | MA35B0601 | ﾄﾘﾂｹｲﾀ | Adapter | 2 | 2 | 2 |
| G112 | MA35A4601 | ｼﾞｬﾊﾞﾗﾄﾘﾂｹｲﾀ | Shutter adapter | 2 | 2 | 2 |
| G113 | MA35A0458 | ｼﾞｬﾊﾞﾗ | Shutter | 1 | 1 | 1 |
| G114 | MB35A0407 | Xｼﾞｸｹﾝｼｭﾂｲﾀ | Detector plate (X) | 1 | 1 | |
| G114 | MB65A0407 | Xｼﾞｸｹﾝｼｭﾂｲﾀ | Detector plate (X) | | | 1 |
| G115 | M90859004 | SW-PWﾌﾟﾗﾏｲﾅﾍﾞﾈｼﾞ M3×6 | Screw M3×6 | 4 | 4 | 4 |
| G116 | MB35A4601 | ｼﾞｬﾊﾞﾗﾄﾘﾂｹｲﾀ | Shutter adapter | 1 | 1 | 1 |
| G117 | M91054004 | SW-PWﾌﾟﾗﾏｲﾅﾍﾞﾈｼﾞ M4×8 | Screw M4×8 | 10 | 10 | 10 |
| G118 | MB35A1339 | ｶﾊﾞｰ | Cover | 1 | 1 | 1 |
| G119 | MB35A5601 | ﾄﾘﾂｹｲﾀ | Adapter | 1 | 1 | 1 |
| G120 | MB35A1601 | ｹﾝｼｭﾂｷﾄﾘﾂｹｲﾀ | Detector holder | 1 | 1 | 1 |
| G121 | MB60A0406 | ｷﾝｾﾂｽｲｯﾁ | Detector | 1 | 1 | 1 |
| G122 | M90864004 | SW-PWﾌﾟﾗﾏｲﾅﾍﾞﾈｼﾞ M3×14 | Screw M3×14 | 3 | 3 | 3 |
| G123 | MA35A1477 | Yｼﾞｸｽﾄｯﾊﾟ | Y-stopper | 2 | 2 | 2 |
| G124 | MA60A3226 | ｼﾞｬﾊﾞﾗﾄﾘﾂｹｲﾀ | Shutter adapter | 1 | 1 | 1 |
| G125 | M94003017 | ｾﾌﾃｨｿｹｯﾄ M3×6 | Bolt M3×6 | 28 | 28 | 28 |
| G126 | M91062004 | ﾌﾟﾗﾏｲｻﾗﾈｼﾞ M4×10 | Screw M4×10 | 4 | 4 | 4 |
| G127 | MA35A0602 | ﾄﾘﾂｹｶﾞﾈ | Adapter | 1 | 1 | 1 |
| G128 | M94012017 | ｾﾌﾃｨｿｹｯﾄ M3×8 | Bolt M3×8 | 24 | 24 | 24 |
| G129 | MA35A1602 | ﾄﾘﾂｹｶﾞﾈ | Adapter | 1 | 1 | 1 |
| G130 | MA60A4226 | ｼﾞｬﾊﾞﾗﾄﾘﾂｹｲﾀ | Shutter adapter | 2 | 2 | 2 |
| G131 | MA35A2458 | ｼﾞｬﾊﾞﾗ | Shutter | 2 | 2 | |
| G131 | MA60A0458 | ｼﾞｬﾊﾞﾗ | Shutter | | | 2 |
| G132 | M94005017 | ｾﾌﾃｨｿｹｯﾄ M3×10 | Bolt M3×10 | 61 | 61 | 61 |
| G133 | MA35A6920 | Xｼﾞｸﾘﾆｱｳｴｲ | X-linear way | 3 | 3 | |
| G133 | MA60A4920 | Xｼﾞｸﾘﾆｱｳｴｲ | X-linear way | | | 3 |
| G134 | MA60A0477 | Xｼﾞｸｽﾄｯﾊﾟ | X-stopper | 2 | 2 | 2 |
| G135 | MA35A3477 | Xｼﾞｸｽﾄｯﾊﾟ | X-stopper | 2 | 2 | 2 |
| G136 | MA35A1228 | ｼﾞｬﾊﾞﾗﾄﾘﾂｹｲﾀ | Shutter adapter | 2 | | |
| G136 | MA60A5226 | ｼﾞｬﾊﾞﾗﾄﾘﾂｹｲﾀ | Shutter adapter | | 2 | 2 |
| G137 | MA60A6226 | ｼﾞｬﾊﾞﾗﾄﾘﾂｹｲﾀ | Shutter adapter | 4 | 4 | 4 |
| G138 | MA35A3458 | ｼﾞｬﾊﾞﾗ | Shutter | 2 | 2 | 2 |
| G139 | MA60A7226 | ｼﾞｬﾊﾞﾗﾄﾘﾂｹｲﾀ | Shutter adapter | 2 | 2 | 2 |
| G140 | MB35A0957 | Xｼﾞｸｲﾄﾞｳﾚｰｽ | X-movable race | 1 | 1 | 1 |
| G141 | MA35A7920 | Yｼﾞｸﾘﾆｱｳｴｲ | Y-linear way | 2 | 2 | 2 |
| G142 | M94008017 | ｾﾌﾃｨｿｹｯﾄM4×6 | Bolt M4×6 | 2 | 2 | 2 |
| G143 | M94001017 | ｾﾌﾃｨｿｹｯﾄM4×10 | Bolt M4×10 | 4 | 4 | 4 |
| G144 | MA60A1476 | ｽﾍﾟｰｻ | Spacer | 1 | 1 | 1 |

## H X-Y テーブル機構（Ⅱ）
## X-Y TABLE MECHANISM（Ⅱ）









# H X-Y テーブル機構（Ⅱ）
# X-Y TABLE MECHANISM（Ⅱ）

| Fig No. | 部品コード Parts No. | 品名 | Description | 数量 Amt.Req. 3530 | 3530L | 6030 |
|---|---|---|---|---|---|---|
| H101 | M94007017 | ｾﾌﾃｨｿｹｯﾄ M4×12 | Bolt M4×12 | 8 | 8 | 8 |
| H102 | M94002017 | ｾﾌﾃｨｿｹｯﾄ M4×8 | Bolt M4×8 | 4 | 4 | 4 |
| H103 | M90421050 | ｻﾞｶﾞﾈ 4 | Washer 4 | 12 | 12 | 12 |
| H104 | MA35A2476 | ｽﾍﾟｰｻ | Spacer | 4 | 4 | 4 |
| H105 | MB35A1407 | Yｼﾞｸｹﾝｼｭﾂｲﾀ | Detector plate (Y) | 1 | 1 | 1 |
| H106 | M94025021 | ﾛｯｶｸｱﾅﾂｷﾎﾞﾀﾝﾎﾞﾙﾄ M4×6 | Bolt M4×6 | 2 | 2 | 2 |
| H107 | M90604065 | Eｶﾞﾀﾄﾒﾜ8 | E-type retaining ring 8 | 10 | 10 | 10 |
| H108 | MS02A2456 | ﾍﾞｱﾘﾝｸﾞ | Ball bearing | 15 | 15 | 15 |
| H109 | MB45A0767 | ﾀｲﾐﾝｸﾞﾌﾟｰﾘ | Cog pulley | 5 | 5 | 5 |
| H110 | M96001001 | ﾛｸｶｸｱﾅﾂｷﾄﾒﾈｼﾞ M6×8 | Screw M6×8 | 10 | 10 | 10 |
| H111 | M95001017 | ｾﾌﾃｨｿｹｯﾄ M5×20 | Bolt M5×20 | 44 | 44 | 48 |
| H112 | M90512050 | ｻﾞｶﾞﾈ 5 | Washer 5 | 24 | 24 | 28 |
| H113 | M95050095 | ｽﾃｯﾋﾟﾝｸﾞﾓｰﾀ (Yｼﾞｸ) | Motor complete (Y) | 1 | 1 | |
| H113 | M95052095 | ｽﾃｯﾋﾟﾝｸﾞﾓｰﾀ (Yｼﾞｸ) | Motor complete (Y) | | | 1 |
| H114 | M98001017 | ｾﾌﾃｨｿｹｯﾄ M8×25 | Bolt M8×25 | 8 | 8 | 8 |
| H115 | M90825050 | ｻﾞｶﾞﾈ 8 | Washer 8 | 8 | 8 | 8 |
| H116 | MB35A0571 | ﾂｷﾞﾃ | sleeve | 1 | 1 | 1 |
| H117 | MA60A3603 | ﾓｰﾀﾄﾘﾂｹﾀﾞｲ | Motor bracket | 1 | 1 | 1 |
| H118 | M91071004 | SW-MWﾂｷﾌﾟﾗﾏｲﾅﾍﾞﾈｼﾞM4×8 | Screw M4×8 | 34 | 34 | 34 |
| H119 | M94017021 | ﾛｯｶｸｱﾅﾂｷﾎﾞﾀﾝﾎﾞﾙﾄ M4×12 | Bolt M4×12 | 4 | 4 | 4 |
| H120 | MA35A4920 | ﾘﾆｱｳｴｲ | Linear way | 1 | | |
| H120 | MA36A0920 | ﾘﾆｱｳｴｲ | Linear way | | 1 | |
| H120 | MA60A1920 | ﾘﾆｱｳｴｲ | Linear way | | | 1 |
| H121 | MB35A6601 | ﾄﾘﾂｹｲﾀ | Linear way adapter | 1 | 1 | 1 |
| H122 | M95002017 | ｾﾌﾃｨｿｹｯﾄ M5×12 | Bolt M5×12 | 4 | 4 | 4 |
| H123 | MB35A0390 | Yｸﾄﾞｳｼﾞｸ | Y-drive shaft | 1 | 1 | 1 |
| H124 | M95018021 | ﾛｸｶｸｱﾅﾂｷﾎﾞﾙﾄ M4×8 | Bolt M4×8 | 27 | 27 | 27 |
| H125 | M95015021 | ﾛｯｶｸｱﾅﾂｷﾎﾞﾙﾄM5×20 | Bolt M5×20 | 1 | 1 | 1 |
| H126 | M95049095 | ｽﾃｯﾋﾟﾝｸﾞﾓｰﾀ (Xｼﾞｸ) | Motor complete (X) | 1 | 1 | |
| H126 | M95051095 | ｽﾃｯﾋﾟﾝｸﾞﾓｰﾀ (Xｼﾞｸ) | Motor complete (X) | | | 1 |
| H127 | M91119002 | ﾋﾗﾈｼﾞ(40)×6.8 | Screw (40)×6.8 | 2 | 2 | 2 |
| H128 | MA35A2390 | Yｸﾄﾞｳｼﾞｸ | Y-drive shaft | 1 | 1 | |
| H128 | MA60A1390 | Yｸﾄﾞｳｼﾞｸ | Y-drive shaft | | | 1 |
| H129 | M91650020 | ﾛｸｶｸｱﾅﾂｷﾄﾒﾈｼﾞ M5×8 | Screw M5×8 | 6 | 6 | 6 |
| H130 | MB35A1571 | ﾂｷﾞﾃ | sleeve | 1 | 1 | 1 |
| H131 | MA35A1758 | ﾌﾞﾗｹｯﾄ | Bracket | 1 | 1 | 1 |
| H132 | MA60A0390 | Xｸﾄﾞｳｼﾞｸ | X-drive shaft | 1 | 1 | 1 |
| H133 | MA30A0758 | ﾌﾞﾗｹｯﾄ | Bracket | 1 | 1 | 2 |
| H134 | MA35A0523 | ﾀｲﾐﾝｸﾞﾍﾞﾙﾄ (Yｼﾞｸ) | Cog belt (Y) | 2 | 2 | 2 |
| H135 | M91060021 | ﾛｯｶｸｱﾅﾂｷﾎﾞﾙﾄ M4×10 | Bolt M4×10 | 4 | 4 | 4 |
| H136 | M91007045 | ﾅｯﾄ M4 | Nut M4 | 2 | 2 | 2 |
| H137 | MB35A0601 | ｶﾞｲﾄﾞﾄﾘﾂｹｲﾀ | Linear way adapter | 2 | 2 | 2 |
| H138 | MA35A5920 | ﾘﾆｱｳｴｲ | Linear way | 1 | 1 | 1 |
| H139 | MA35A9603 | ﾄﾘﾂｹﾀﾞｲ | Bracket | 1 | 1 | 1 |
| H140 | MA35A0781 | ﾍﾞﾙﾄｵｻｴ(Yｼﾞｸ) | Belt clamber (Y) | 2 | 2 | 2 |
| H141 | MS13A5454 | ｼﾞｸ | Shaft | 3 | 3 | 3 |
| H142 | MB62A0767 | ﾀｲﾐﾝｸﾞﾌﾟｰﾘ | Cog pulley | 3 | 3 | 3 |
| H143 | MB61A2758 | ﾌﾞﾗｹｯﾄ | Bracket | 3 | 3 | 3 |
| H144 | MB62A0456 | ﾍﾞｱﾘﾝｸﾞ | Ball bearing | 2 | 2 | 2 |
| H145 | MB35A0523 | ﾀｲﾐﾝｸﾞﾍﾞﾙﾄ (Xｼﾞｸ) | Cog belt (X) | 1 | 1 | |
| H145 | MB69A0523 | ﾀｲﾐﾝｸﾞﾍﾞﾙﾄ (Xｼﾞｸ) | Cog belt (X) | | | 1 |
| H146 | MA45A0778 | ﾍﾞﾙﾄｵｻｴ | Belt clamber | 2 | 2 | 2 |
| H147 | MA35A0564 | ﾁｮｳｾﾂﾀﾞｲ | Bracket | 1 | 1 | 1 |
| H148 | M95004017 | ｾﾌﾃｨｿｹｯﾄ M5×16 | Bolt M5×16 | 2 | 2 | 2 |
| H149 | MA35B0603 | ﾄﾘﾂｹﾀﾞｲ | Bracket | 1 | 1 | 1 |
| H150 | MB35A1523 | ﾀｲﾐﾝｸﾞﾍﾞﾙﾄ(Yｼﾞｸ) | Cog belt (Y) | 1 | 1 | 1 |
| H151 | M91056004 | SW-PWﾌﾟﾗﾏｲﾅﾍﾞﾈｼﾞ M4×10 | Screw M4×10 | 4 | 4 | 4 |
| H152 | M90816004 | SW-PWﾌﾟﾗﾏｲﾅﾍﾞﾈｼﾞ M3×8 | Screw M3×8 | 2 | 2 | 2 |
| H153 | MB60A0406 | ｷﾝｾﾂｽｲｯﾁ | Detector | 1 | 1 | 1 |
| H154 | MB35A2601 | ｹﾝｼｭﾂｷﾄﾘﾂｹｲﾀ | Detector holder | 1 | 1 | 1 |
| H155 | MB35A0639 | ﾈｼﾞｲﾀ | Adapter | 1 | 1 | 1 |
| H156 | MB35A3601 | ｹﾝｼｭﾂｷﾄﾘﾂｹｲﾀ | Detector holder | 1 | 1 | 1 |
| H157 | MB65A0390 | Yｸﾄﾞｳｼﾞｸ | Y-drive shaft | | | 1 |
| H158 | MA60A0364 | ｶｯﾌﾟﾘﾝｸﾞ | Coupling | | | 1 |
| H901 | MA35A1200 | Yｲﾄﾞｳﾀﾞｲ | Y-axis cradle | 1 | | |
| H901 | MA36A0200 | Yｲﾄﾞｳﾀﾞｲ | Y-axis cradle | | 1 | |
| H901 | MA60A0200 | Yｲﾄﾞｳﾀﾞｲ | Y-axis cradle | | | 1 |


101 102 103 104 105 106 107 108 109 110 (103) 111
(106) 112 113 114 (109) 115
(108)
(106)
(107)
(110)
116
117
118
(118)
(123)(122)(121)(120) (117)
(122)
(132) 134 135 136 137 138
(115) (114)
(123)
(125)
(122)
(122) 119 (103)(104)
(105)(102)
120
121
122
123
124
(122)
125
126
(124)
(123)
(122)
127
(114)
(130)
133
(131)
901
(122) (126)
130
132 131
129 128


(132) 134 135 136 137 138
(115) (114)
(130)
133
(131)
901
132 (130)
131 129 128

# J 外押え機構
# WORK HOLDER MECHANISM

| Fig No. | 部品コード Parts No. | 品名 | Description | 数量 Amt.Req. 3530 | 3530L | 6030 |
|---|---|---|---|---|---|---|
| J101 | MA35A2950 | ｵｻｴﾚﾊﾞｰ | Pushing lever | 1 | 1 | 1 |
| J102 | MA35A2708 | ﾊﾞﾈｶｹ | Hook | 2 | 2 | 2 |
| J103 | M95002020 | ﾛｯｶｸｱﾅﾂｷﾄﾒﾈｼﾞM5×6 | Screw M5×6 | 5 | 5 | 5 |
| J104 | MS02A1352 | ｶﾗｰ | Collar | 2 | 2 | 2 |
| J105 | MA35A3572 | ﾂﾙﾏｷﾊﾞﾈ | Spring | 2 | 2 | 2 |
| J106 | M90512065 | Eｶﾞﾀﾄﾒﾜ3 | E-Type retaining ring 3 | 2 | 2 | 2 |
| J107 | M91576045 | ﾅｯﾄ M6 | Nut M6 | 2 | 2 | 2 |
| J108 | MA35A0621 | ﾅｯｸﾙ | Knuckle | 2 | 2 | 2 |
| J109 | M97011060 | ﾋﾟﾝ | Pin | 2 | 2 | 2 |
| J110 | MA20B1601 | ﾄﾘﾂｹｲﾀ | Adapter | 2 | 2 | 2 |
| J111 | MA35A0454 | ｼﾞｸ | Shaft | 1 | 1 | 1 |
| J112 | MA35A4950 | ｵｻｴﾚﾊﾞｰ | Pushing lever | 1 | 1 | 1 |
| J113 | M95001017 | ｾﾌﾃｨｿｹｯﾄ M5×20 | Bolt M5×20 | 4 | 4 | 4 |
| J114 | M90511050 | ｻﾞｶﾞﾈ 5 | Washer 5 | 4 | 4 | 4 |
| J115 | M95004017 | ｾﾌﾃｨｿｹｯﾄ M5×16 | Bolt M5×16 | 16 | 16 | 16 |
| J116 | M95002017 | ｾﾌﾃｨｿｹｯﾄ M5×12 | Bolt M5×12 | 4 | 4 | 4 |
| J117 | MA20A2434 | ｴｱｼﾘﾝﾀﾞ | Air cylinder | 2 | 2 | 2 |
| J118 | MA20A9571 | ﾜﾝﾀｯﾁﾂｷﾞﾃ | Connector | 2 | 2 | 2 |
| J119 | MA35A0308 | ｵｻｴﾀﾞｲ | Clamp bracket | 1 | 1 | 1 |
| J120 | M91060021 | ﾛｸｶｸｱﾅﾂｷﾎﾞﾙﾄ M4×10 | Bolt M4×10 | 4 | 4 | 4 |
| J121 | MA35A2477 | ｽﾄｯﾊﾟ | Stopper | 2 | 2 | 2 |
| J122 | MS13A2477 | ｽﾄｯﾊﾟ | Stopper | 8 | 8 | 8 |
| J123 | MS13A8957 | ｺﾃｲﾚｰｽ | Fixed race | 4 | 4 | 4 |
| J124 | MS13A1972 | ﾛｰﾗｹｰｼﾞ | Slide bearing | 4 | 4 | 4 |
| J125 | M95018021 | ﾛｸｶｸｱﾅﾂｷﾎﾞﾙﾄ M4×10 | Bolt M4×10 | 4 | 4 | 4 |
| J126 | MA35A1957 | ｲﾄﾞｳﾚｰｽ | Movable race | 2 | 2 | 2 |
| J127 | M90511056 | ｾﾌﾃｨｿｹｯﾄM5×8 | Bolt M5×8 | 2 | 2 | 2 |
| J128 | MS18A1272 | ｼﾀｵｻｴｲﾀ | Feed plate | 1 | | |
| J128 | MA36A0272 | ｼﾀｵｻｴｲﾀ | Feed plate | | 1 | |
| J128 | MA60A0272 | ｼﾀｵｻｴｲﾀ | Feed plate | | | 1 |
| J129 | MA35A0105 | ｿﾄｵｻｴｲﾀ | Clamp frame | 1 | | |
| J129 | MA36A0105 | ｿﾄｵｻｴｲﾀ | Clamp frame | | 1 | |
| J129 | MA60A0105 | ｿﾄｵｻｴｲﾀ | Clamp frame | | | 1 |
| J130 | M91050020 | ﾛｸｶｸｱﾅﾂｷﾄﾒﾈｼﾞ M4×5 | Screw M4×5 | 2 | 2 | 2 |
| J131 | MS02E0426 | ｻﾎﾟｻｴ | Supporter | 2 | 2 | 2 |
| J132 | MS02A2454 | ｵｻｴｼﾞｸ | Clamp stud | 2 | 2 | 2 |
| J133 | M91056004 | SW-PWﾌﾟﾗﾏｲﾅﾍﾞﾈｼﾞ M4×10 | Screw M4×10 | 4 | 4 | 4 |
| J134 | M90611060 | ﾋﾟﾝ | Pin | 2 | 2 | 2 |
| J135 | MS13A0572 | ﾂﾙﾏｷﾊﾞﾈ | Spring | 2 | 2 | 2 |
| J136 | MS02B0257 | ｵｻｴｲﾀ | Adapter | 2 | 2 | 2 |
| J137 | M90859004 | SW-PWﾌﾟﾗﾏｲﾅﾍﾞﾈｼﾞ M3×6 | Screw M3×6 | 2 | 2 | 2 |
| J138 | MA35A0273 | ｵｻｴｳﾃﾞ | Clamp adapter | 1 | | |
| J138 | MA36A0273 | ｵｻｴｳﾃﾞ | Clamp adapter | | 1 | |
| J138 | MA60A0273 | ｵｻｴｳﾃﾞ | Clamp adapter | | | 1 |
| J901 | MA35E0105 | ｿﾄｵｻｴ(ｸﾐ) | Clamp frame assy. | 1 | | |
| J901 | MA36E0105 | ｿﾄｵｻｴ(ｸﾐ) | Clamp frame assy. | | 1 | |
| J901 | MA60E0105 | ｿﾄｵｻｴ(ｸﾐ) | Clamp frame assy. | | | 1 |


101
102
901
(101)
103
117
104
105
106
116
(101)
107
115
(113)
114
113
112
111
110
109
108
〔902〕
211
202 203 204 205 206 207 208 209 (208) 210
201
212
213

# K ワイパー機構・検出器
# WIPER & DETECTOR MECHANISM

| Fig No. | 部品コード Parts No. | 品名 | Description | 数量 Amt.Req. 3530 | 3530L | 6030 |
|---|---|---|---|---|---|---|
| K101 | M91054004 | SW-PWﾂｷﾌﾟﾗﾏｲﾅﾍﾞﾈｼﾞM4×8 | Screw M4×8 | 7 | 7 | 7 |
| K102 | MB60A0915 | ﾏﾜﾘﾄﾞﾒﾘﾝｸﾞ | Snap ring | 1 | 1 | 1 |
| K103 | MB60E7601 | ﾄﾘﾂｹｲﾀ(ｼｰﾙﾂｷ) | Bracket | 1 | 1 | 1 |
| K104 | M90316050 | ｻﾞｶﾞﾈ3 | Washer 3 | 2 | 2 | 2 |
| K105 | M90307053 | ﾊﾞﾈｻﾞｶﾞﾈ3 | Spring washer 3 | 2 | 2 | 2 |
| K106 | M90875045 | ﾅｯﾄM3 | Nut M3 | 2 | 2 | 2 |
| K107 | MS02A1477 | ｽﾄｯﾊﾟ | Stopper | 1 | 1 | 1 |
| K108 | MA20A0980 | ﾜｲﾊﾟ | Wiper | 1 | 1 | 1 |
| K109 | M91057020 | ﾛｯｶｸｱﾅﾂｷﾄﾒﾈｼﾞM3×4 | Screw M3×4 | 1 | 1 | 1 |
| K110 | MS03A1530 | ﾜｲﾊﾟｰｼﾞｸ | Wiper shaft | 1 | 1 | 1 |
| K111 | MS10A0982 | ﾜｲﾊﾟｰﾀﾞｲ | Wiper adapter | 1 | 1 | 1 |
| K112 | MS02E0981 | ﾜｲﾊﾟｰｳﾃﾞ | Wiper clank | 1 | 1 | 1 |
| K113 | M90802003 | ﾏﾙﾋﾗﾈｼﾞ1/8(44)×4.5 | Screw 1/8(44)×4.5 | 4 | 4 | 4 |
| K114 | MS02E0983 | ｸﾄﾞｳｲﾀ | Wiper clank | 1 | 1 | 1 |
| K115 | MS02A4729 | ﾋﾈﾘﾊﾞﾈ | Spring | 1 | 1 | 1 |
| K116 | MB45E0519 | ﾛｰﾀﾘｿﾚﾉｲﾄﾞｸﾐﾀﾃ | Rotary solenoid assy | 1 | 1 | 1 |
| K117 | MB60E0270 | ｵｼﾎﾞﾀﾝｽｲｯﾁｸﾐﾀﾃ | Halt switch assy | 1 | 1 | 1 |
| K201 | MB60A2406 | ｾﾝｻｰ | Detector bracket assy | 1 | 1 | 1 |
| K202 | MN10A1456 | ｼﾞｸｳｹ | Ball bearing | 1 | 1 | 1 |
| K203 | M90330065 | Cｶﾞﾀﾄﾒﾜ30 | Retaining ring C-type 30 | 1 | 1 | 1 |
| K204 | M93001050 | ｻﾞｶﾞﾈ | Washer | 1 | 1 | 1 |
| K205 | MF01A0259 | ﾊﾝｼｬﾊﾞﾝｵｻｴｽﾌﾟﾘﾝｸﾞ | Wave washer | 1 | 1 | 1 |
| K206 | MF01A1476 | ｽﾍﾟｰｻB | Spacer B | 1 | 1 | 1 |
| K207 | MN72A1694 | ﾊﾝｼｬﾊﾞﾝF20(ｳｴ) | Speed command disk F20 (up) | 1 | 1 | 1 |
| K208 | MF01A0476 | ｽﾍﾟｰｻA | Spacer A | 2 | 2 | 2 |
| K209 | MB60A0694 | ﾊﾝｼｬﾊﾞﾝK10(ｼﾀ) | Speed command disk K10 (down) | 1 | 1 | 1 |
| K210 | M91520002 | ﾋﾗﾈｼﾞ15/64(28)×12 | Screw 15/64(28)×12 | 2 | 2 | 2 |
| K211 | MB60E0682 | ﾌﾟｰﾘｸﾐﾀﾃ | Pulley assy | 1 | 1 | 1 |
| K212 | M91069004 | ﾌﾟﾗﾏｲﾅﾍﾞﾈｼﾞ M4×8 | Screw M4×8 | 1 | 1 | 1 |
| K213 | M93002050 | ｻﾞｶﾞﾈ | Washer | 1 | 1 | 1 |
| K901 | MB60E3339 | ｶﾊﾞｰｸﾐﾀﾃ(ﾌﾞｻﾞｰﾂｷ) | Cover assy (with buzzer) | 1 | 1 | 1 |
| K902 | MB60E1682 | ﾌﾟｰﾘｸﾐﾀﾃ | Pulley assy | 1 | 1 | 1 |


101
102
103
104
105
106
107
108
109
110
(102)
111
(105)
113
114
(108)
115
129
128
127
126
(105)
125
(110)
(105)
124
(105)
(102)
117
116
(102)
123
122
121
120
119
(108)
118

# L 給油機構
# OIL LUBRICATION MECHANISM

| Fig No. | 部品コード Parts No. | 品名 | Description | 数量 Amt.Req. 3530 | 3530L | 6030 |
|---|---|---|---|---|---|---|
| L101 | MB35E0688 | ﾊﾟｲﾌﾟﾋﾓｸﾐﾀﾃ(ｳﾜｼﾞｸﾒﾀﾙ) | Oil pipe assy.(arm shaft bushing) | 1 | 1 | 1 |
| L102 | M91058004 | SW-PWﾌﾟﾗﾏｲﾅﾍﾞﾈｼﾞ M4×6 | Screw M4×6 | 8 | 8 | 8 |
| L103 | MA20A1780 | ﾎﾙﾀﾞｰ | Holder | 1 | 1 | 1 |
| L104 | MA20A0620 | ﾅｲﾛﾝｸﾘｯﾌﾟ | Nylon clip | 1 | 1 | 1 |
| L105 | M91054004 | SW-PWﾌﾟﾗﾏｲﾅﾍﾞﾈｼﾞ M4×8 | Screw M4×8 | 6 | 6 | 6 |
| L106 | MB35E0780 | ﾎﾙﾀﾞｰｸﾐﾀﾃ(ﾊﾘﾎﾞｳ) | Holder assy.(needle bar) | 1 | 1 | 1 |
| L107 | MA20E2688 | ﾊﾟｲﾌﾟﾋﾓｸﾐﾀﾃ(ｳﾜｼﾞｸﾒﾀﾙ) | Oil pipe assy.(arm shaft bushing) | 1 | 1 | 1 |
| L108 | MN10A0135 | ｱﾌﾞﾗﾏﾄﾞ | Oil gauge | 2 | 2 | 2 |
| L109 | MB35E1688 | ﾊﾟｲﾌﾟﾋﾓｸﾐﾀﾃ(ﾁｭｳｹｲ) | Oil pipe assy.(junction) | 1 | 1 | 1 |
| L110 | MS47P0620 | ﾅｲﾛﾝｸﾘｯﾌﾟ | Nylon clip | 2 | 2 | 2 |
| L111 | MB60A1780 | ﾎﾙﾀﾞｰ | Holder | 1 | 1 | 1 |
| L112 | MB62E0780 | ﾎﾙﾀﾞｰｸﾐﾀﾃ(ﾚﾝｾﾂｶﾝ) | Holder assy.(connecting rod) | 1 | 1 | 1 |
| L114 | MA20E2688 | ﾊﾟｲﾌﾟﾋﾓｸﾐﾀﾃ(ｳﾜｼﾞｸﾒﾀﾙ) | Oil pipe assy.(arm shaft bushing) | 1 | 1 | 1 |
| L115 | MA35E1780 | ﾎﾙﾀﾞｸﾐﾀﾃ(ｾｸﾀﾊｸﾞﾙﾏ) | Holder assy.(sector gear) | 1 | 1 | 1 |
| L116 | MF60A5740 | ﾌｪﾙﾄ | Felt | 1 | 1 | 1 |
| L117 | MA35E2780 | ﾎﾙﾀﾞｸﾐﾀﾃ(ｼﾀｼﾞｸﾒﾀﾙ) | Holder assy.(hook shaft bushing) | 1 | 1 | 1 |
| L118 | MA20A6688 | ﾊﾟｲﾌﾟ | Pipe | 1 | 1 | 1 |
| L119 | MA35A1688 | ﾊﾟｲﾌﾟ(ｿﾄｶﾞﾏ) | Pipe(outer hook) | 1 | 1 | 1 |
| L120 | MA35E3688 | ﾊﾟｲﾌﾟﾋﾓｸﾐﾀﾃ(ｼﾀｼﾞｸﾒﾀﾙ) | Oil pipe assy.(hook shaft bushing) | 1 | 1 | 1 |
| L121 | MA35A0148 | ﾋﾓ(ｿﾄｶﾞﾏ) | String(outer hook) | 1 | 1 | 1 |
| L122 | MS01A8796 | ﾎﾙﾀﾞｰ | Holder | 1 | 1 | 1 |
| L123 | MA35A1148 | ﾋﾓ(ｿﾄｶﾞﾏ) | String(outer hook) | 1 | 1 | 1 |
| L124 | MA35A0688 | ﾊﾟｲﾌﾟ(ｿﾄｶﾞﾏ) | Pipe(outer hook) | 1 | 1 | 1 |
| L125 | MF00A1780 | ﾎﾙﾀﾞｰ | Holder | 1 | 1 | 1 |
| L126 | MS03A2780 | ﾎﾙﾀﾞｰ | Holder | 1 | 1 | 1 |
| L127 | MB35E2688 | ﾊﾟｲﾌﾟﾋﾓｸﾐﾀﾃ(ﾍﾝｼﾝﾘﾝ) | Oil pipe assy.(eccentric bushing) | 1 | 1 | 1 |
| L128 | MF60A0742 | ﾌﾀ | Cap | 1 | 1 | 1 |
| L129 | MF10A2740 | ﾌｪﾙﾄ | Felt | 1 | 1 | 1 |


101
102
103
(103)
104
(102)
110
109
111
112
108
107
106
105
(102)


113


203
201
202
204
205
206


(206)
210
211
212
(206)

# Ⓜ 配線・配管関係
# CABLE COMPONENT & PNEUMATIC CONTROL UNIT

| Fig No. | 部品コード Parts No. | 品名 | Description | 数量 Amt.Req. 3530 | 3530L | 6030 |
|---|---|---|---|---|---|---|
| M101 | MB35A0339 | ﾊﾞﾝｶﾊﾞｰ | Cover | 1 | 1 | |
| M102 | M91054004 | SW-PWﾌﾟﾗﾏｲﾅﾍﾞﾈｼﾞ M4×8 | Screw M4×8 | 6 | 6 | 2 |
| M103 | MB60A5780 | ｺｰﾄﾞﾌﾞｯｼｭ | Cord holder | 2 | 2 | 2 |
| M104 | MB60A6780 | ｺｰﾄﾞﾌﾞｯｼｭ | Cord holder | 1 | 1 | 1 |
| M105 | MB60A5601 | ｺﾈｸﾀﾄﾘﾂｹｲﾀ | Connector panel | 1 | 1 | 1 |
| M106 | MB35A7601 | ﾊﾞﾝｽﾃｰ | Adapter | 1 | 1 | |
| M106 | MB65A0601 | ﾊﾞﾝｽﾃｰ | Adapter | | | 1 |
| M107 | M95003096 | ﾌﾟﾘﾝﾄｷﾊﾞﾝｸﾐﾀﾃ | Print circuit board | 1 | 1 | 1 |
| M108 | MB60A2352 | ｽﾍﾟｰｻ | Spacer | 4 | 4 | 4 |
| M109 | MB60A0366 | ｷｬｯﾌﾟ | Screw adapter | 4 | 4 | 4 |
| M110 | M91057004 | SW-PWﾌﾟﾗﾏｲﾅﾍﾞﾈｼﾞ M4×20 | Screw M4×20 | 4 | 4 | 4 |
| M111 | K14M71725402 | ｹｰﾌﾞﾙ(ｻｰﾎﾞｴﾝｺｰﾀﾞ) | Cable (servo encoder) | 1 | 1 | 1 |
| M112 | M90439037 | SWｯｷﾎﾟﾅﾍﾞﾈｼﾞ M4×8 | Screw M4×8 | 1 | 1 | 1 |
| M113 | M97324099 | ｹｰﾌﾞﾙ(ｽﾃｯﾋﾟﾝｸﾞﾓｰﾀ) | Cable (Stepping motor) | 1 | 1 | 1 |
| M201 | MB45E0599 | ﾃﾞﾝｼﾞﾍﾞﾝｸﾐﾀﾃ | Solenoid valve complete | 1 | 1 | 1 |
| M202 | M92209098 | ｽﾋﾟｰﾄﾞｺﾝﾄﾛｰﾗ | Speed controller | 1 | 1 | 1 |
| M203 | MA20A6571 | Yｶﾞﾀｯｷﾞﾃ | Connector | 1 | 1 | 1 |
| M204 | M91276004 | SW-PWﾌﾟﾗﾏｲﾅﾍﾞﾈｼﾞ M4×30 | Screw M4×30 | 4 | 4 | 4 |
| M205 | M91035089 | ｻｲﾚﾝｻ | Muffler | 2 | 2 | 2 |
| M206 | MA20A8571 | Lｶﾞﾀｯｷﾞﾃ | Connector | 3 | 3 | 3 |
| M210 | MB61A0963 | ﾌｨﾙﾀﾚｷﾞｭﾚｰﾀ | Filter regulator | 1 | 1 | 1 |
| M211 | M95003017 | ｾﾌﾃｲｿｹｯﾄ M5×8 | Bolt M5×8 | 2 | 2 | 2 |
| M212 | M90511050 | ﾐｶﾞｷｻﾞｶﾞﾈ 5 | Washer 5 | 2 | 2 | 2 |

## N テーブル関係
## TABLE & STAND



# N テーブル関係
# TABLE & STAND

| Fig No. | 部品コード Parts No. | 品名 | Description | 数量 Amt.Req. 3530 | 3530L | 6030 |
|---|---|---|---|---|---|---|
| N101 | M98008021 | ﾛｯｸｶｸｱﾅﾂｷﾎﾞﾙﾄ M8×40 | Bolt M8×40 | 8 | 8 | 8 |
| N102 | MB35A2339 | ｷｬｯｸｶﾊﾞｰ(ﾋﾀﾞﾘ) | Table cover(left) | 1 | 1 | 1 |
| N103 | MA35A3339 | ｷｬｯｸｶﾊﾞｰ(ｳｼﾛ) | Table cover(rear) | 1 | 1 | |
| N103 | MB65A0339 | ｷｬｯｸｶﾊﾞｰ(ｳｼﾛ) | Table cover(rear) | | | 1 |
| N104 | MB35A0429 | ｻｻｴﾀﾞｲ | Adapter | 1 | 1 | |
| N104 | MB65A0429 | ｻｻｴﾀﾞｲ | Adapter | | | 1 |
| N105 | MB35A0603 | ｽﾀﾝﾄﾞﾀﾞｲ | Adapter | 1 | 1 | 1 |
| N106 | MB35A4339 | ｷｬｯｸｶﾊﾞｰ(ﾐｷﾞ) | Table cover(right) | 1 | 1 | |
| N106 | MB65A1339 | ｷｬｯｸｶﾊﾞｰ(ﾐｷﾞ) | Table cover(right) | | | 1 |
| N107 | MA35A0419 | ﾎﾞｳｼﾝｺﾞﾑ | Rubber cushion | 2 | 2 | 2 |
| N108 | M96002017 | ｾﾌﾃｨｿｹｯﾄ M6×12 | Bolt M6×12 | 4 | 4 | 4 |
| N109 | M91054004 | SW-PWﾌﾟﾗﾏｲﾅﾍﾞﾈｼﾞ M4×8 | Screw M4×8 | 6 | 6 | 6 |
| N110 | MA60E0776 | ﾍﾞﾙﾄｶﾊﾞｰ | Belt cover | 1 | 1 | 1 |
| N111 | MB35E0150 | ｷｬｯｸﾐﾀﾃ | Table | 1 | 1 | |
| N111 | MB65E0150 | ｷｬｯｸﾐﾀﾃ | Table | | | 1 |
| N112 | MB45E0972 | ｷｬｽﾀｰ | Castor | 4 | 4 | 4 |
| N113 | MF20A0130 | ｱﾌﾞﾗﾋﾞﾝ | Oil bottle | 1 | 1 | 1 |
| N114 | M90511050 | ｻﾞｶﾞﾈ 5 | Washer 5 | 2 | 2 | 2 |
| N115 | M91382045 | ﾅｯﾄM5 | Nut M5 | 2 | 2 | 2 |
| N116 | M92056022 | ﾛｯｸｶｸﾎﾞﾙﾄ M8×25 | Bolt M8×25 | 16 | 16 | 16 |
| N117 | M90802053 | ﾊﾞﾈｻﾞｶﾞﾈ 8 | Spring washer 8 | 16 | 16 | 16 |
| N118 | M90815050 | ｻﾞｶﾞﾈ 8 | Washer 6 | 16 | 16 | 16 |
| N119 | MB45A0150 | ｺﾞﾑｷｬｯｸ | Top cap | 4 | 4 | 4 |
| N120 | MA35B8601 | ﾓｰﾀﾄﾘﾂｹｲﾀ | Motor adapter | 1 | 1 | 1 |
| N121 | M90631050 | ｻﾞｶﾞﾈ 6 | Washer 6 | 10 | 10 | 10 |
| N122 | M90624053 | ﾊﾞﾈｻﾞｶﾞﾈ 6 | Spring washer 6 | 4 | 4 | 4 |
| N123 | M96016021 | ﾛｯｸｶｸｱﾅﾂｷﾎﾞﾙﾄ M6×45 | Bolt M6×45 | 4 | 4 | 4 |
| N124 | MA35B7601 | ﾍﾞﾙﾄｶﾊﾞｰﾄﾘﾂｹｲﾀ | Adapter | 1 | 1 | 1 |
| N125 | M95005021 | ﾛｯｸｶｸｱﾅﾂｷﾎﾞﾙﾄ M5×40 | Bolt M5×40 | 2 | 2 | 2 |
| N126 | M93013021 | ﾛｯｶｸｱﾅﾂｷﾎﾞﾙﾄ M3×20 | Screw M3×20 | 4 | 4 | 4 |
| N127 | M90316050 | ｻﾞｶﾞﾈ 3 | Washer 3 | 4 | 4 | 4 |
| N129 | MA20A0719 | ﾋｷﾀﾞｼ | Drawer | 1 | 1 | 1 |
| N128 | MB60A3957 | ﾚｰﾙ | Rail | 2 | 2 | 2 |
| N130 | MA35A1419 | ﾎﾞｳｼﾝｺﾞﾑ | Rubber cushion | 10 | 10 | 10 |
| N131 | MA35A2419 | ﾎﾞｳｼﾝｺﾞﾑ | Rubber cushion | 2 | 2 | 2 |
| N132 | MB35A0139 | ｵｲﾙﾊﾟﾝ | Oil pan | 1 | 1 | 1 |
| N201 | MA35E0483 | ｿｳｻｽﾀﾝﾄﾞ | Operation stand | 1 | 1 | 1 |
| N202 | MA20A2620 | ﾅｲﾛﾝｸﾘｯﾌﾟ | Nylon clip | 2 | 2 | 2 |
| N203 | M91069004 | ﾌﾟﾗﾏｲﾅﾍﾞﾈｼﾞ M4×8 | Screw M4×8 | 2 | 2 | 2 |
| N204 | M91558022 | ﾛｯｶｸﾎﾞﾀﾝﾎﾞﾙﾄ M6×45 | Bolt M6×45 | 3 | 3 | 3 |
| N205 | M90631050 | ｻﾞｶﾞﾈ 6 | Washer 6 | 15 | 15 | 15 |
| N206 | M91606022 | ﾛｯｶｸﾎﾞﾀﾝﾎﾞﾙﾄ M3×10 | Bolt M3×10 | 4 | 4 | 4 |
| N207 | M90316050 | ｻﾞｶﾞﾈ 3 | Washer 3 | 4 | 4 | 4 |


101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118, 119, 120, 121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140

# P 付属品
# ACCESSORIES

| Fig No. | 部品コード Parts No. | 品名 | Description | 数量 Amt.Req. 3530 | 3530L | 6030 |
|---|---|---|---|---|---|---|
| P101 | MS02A0128 | ﾐｼﾝﾊﾞﾘ DP×17#18 | Needle DP×17#18 | 4 | 4 | 4 |
| P102 | MA10A0123 | ﾎﾞﾋﾞﾝ(SC-180ﾖｳ) | Bobbin (for SC-180) | 3 | 3 | 3 |
| P103 | MS03A0417 | ｺﾞﾑﾜ | Tire | 1 | 1 | 1 |
| P104 | MN52A1245 | ｴﾝｽｲﾊﾞﾈ | Tension spring | 1 | 1 | 1 |
| P105 | MB60A0990 | ﾌﾛｯﾋﾟｨﾃﾞｨｽｸ(ｼｽﾃﾑ) | Floppy disk (system) | 1 | 1 | 1 |
| P106 | MB60A1990 | ﾌﾛｯﾋﾟｨﾃﾞｨｽｸ(ﾃﾞｰﾀﾎﾘﾝﾖｳ) | Floppy disk (blank) | 1 | 1 | 1 |
| P107 | MA20A0734 | ﾋﾞﾆﾙｶﾊﾞｰ | Polyethylene cover | 1 | 1 | 1 |
| P108 | MF40E0193 | ｲﾄﾀﾃﾀﾞｲｸﾐﾀﾃ | Cotton stand assy. | 1 | 1 | 1 |
| P109 | MB60A0419 | ﾎﾞｳｼﾝｺﾞﾑ | Rubber cushion | 6 | 6 | 6 |
| P110 | MF01A0565 | ｶｸﾄﾞﾁｮｳｾｲｸﾞ | Disk adjusting plate | 1 | 1 | 1 |
| P111 | MA20A0613 | ﾄｳﾌﾞｳｹ | Head rest | 1 | 1 | 1 |
| P112 | MA30A0571 | ﾜﾝﾀｯﾁﾂｷﾞﾃ | Quick joint | 1 | 1 | 1 |
| P113 | M91010089 | ﾛｯｶｸｿｹｯﾄ | Socket | 1 | 1 | 1 |
| P114 | MS06A0567 | ﾁｭｰﾌﾞ | Tube | 1 | 1 | 1 |
| P115 | MB02A1608 | ﾄﾞﾗｲﾊﾞｰ(ｼｮｳ) | Screw driver (small) | 1 | 1 | 1 |
| P116 | MB02A0608 | ﾄﾞﾗｲﾊﾞｰ(ﾁｭｳ) | Screw driver (middle) | 1 | 1 | 1 |
| P117 | MF00A0608 | ﾄﾞﾗｲﾊﾞｰ(ﾀﾞｲ) | Screw driver (large) | 1 | 1 | 1 |
| P118 | MS02A0479 | ﾘｮｳｸﾞﾁｽﾊﾟﾅ13×17 | Spanner 13×17 | 1 | 1 | 1 |
| P119 | MM10A1479 | ﾘｮｳｸﾞﾁｽﾊﾟﾅ10×14 | Spanner 10×14 | 1 | 1 | 1 |
| P120 | MS10A1976 | ﾘｮｳｸﾞﾁｽﾊﾟﾅ8×9 | Spanner 8×9 | 1 | 1 | 1 |
| P121 | MS10A2976 | ﾘｮｳｸﾞﾁｽﾊﾟﾅ6×7 | Spanner 6×7 | 1 | 1 | 1 |
| P122 | MS05A1976 | ﾛｯｶｸﾎﾞｳｽﾊﾟﾅ6 | Socket wrench 6 | 1 | 1 | 1 |
| P123 | MS05A0976 | ﾛｯｶｸﾎﾞｳｽﾊﾟﾅ5 | Socket wrench 5 | 1 | 1 | 1 |
| P124 | MS01A1976 | ﾛｯｶｸﾎﾞｳｽﾊﾟﾅ4 | Socket wrench 4 | 1 | 1 | 1 |
| P125 | MF90A0976 | ﾛｯｶｸﾎﾞｳｽﾊﾟﾅ1/8 | Socket wrench1/8 | 1 | 1 | 1 |
| P126 | MS02A2976 | ﾛｯｶｸﾎﾞｳｽﾊﾟﾅ3 | Socket wrench 3 | 1 | 1 | 1 |
| P127 | MS02A1976 | ﾛｯｶｸﾎﾞｳｽﾊﾟﾅ2.5 | Socket wrench 2.5 | 1 | 1 | 1 |
| P128 | MS02A0976 | ﾛｯｶｸﾎﾞｳｽﾊﾟﾅ2 | Socket wrench 2 | 1 | 1 | 1 |
| P129 | MS10A0976 | ﾛｯｶｸﾎﾞｳｽﾊﾟﾅ1.5 | Socket wrench 1.5 | 1 | 1 | 1 |
| P130 | MF10A0149 | ｱﾌﾞﾗｻｼ | Oiler with oil | 1 | 1 | 1 |
| P131 | MB35A0691 | ﾊﾟｯｷﾝ (ｼﾀｵｻｴｲﾀﾖｳ) | Clamp pad (for feed plate) | 2 | 2 | 2 |
| P132 | MB35A2691 | ﾊﾟｯｷﾝ (ｼﾀｵｻｴｲﾀﾖｳ) | Clamp pad (for feed plate) | 2 | | |
| P132 | MB36A0691 | ﾊﾟｯｷﾝ (ｼﾀｵｻｴｲﾀﾖｳ) | Clamp pad (for feed plate) | | 2 | |
| P132 | MB65A0691 | ﾊﾟｯｷﾝ (ｼﾀｵｻｴｲﾀﾖｳ) | Clamp pad (for feed plate) | | | 2 |
| P133 | MB35A1691 | ﾊﾟｯｷﾝ(ｿﾄｵｻｴﾖｳ) | Clamp pad (for clamp frame) | 2 | 2 | 2 |
| P134 | MB35A3691 | ﾊﾟｯｷﾝ(ｿﾄｵｻｴﾖｳ) | Clamp pad (for clamp frame) | 2 | | |
| P134 | MB36A1691 | ﾊﾟｯｷﾝ(ｿﾄｵｻｴﾖｳ) | Clamp pad (for clamp frame) | | 2 | |
| P134 | MB65A1691 | ﾊﾟｯｷﾝ(ｿﾄｵｻｴﾖｳ) | Clamp pad (for clamp frame) | | | 2 |
| P135 | MA36A0797 | ﾎｺﾞﾌｨﾙﾑ | Film sheet | 1 | 1 | |
| P135 | MA60A0797 | ﾎｺﾞﾌｨﾙﾑ | Film sheet | | | 1 |
| P137 | M97320099 | ｹｰﾌﾞﾙ(ｿﾚﾉｲﾄﾞ) | Cable (out of solenoid) | 1 | 1 | 1 |
| P138 | M97318099 | ｹｰﾌﾞﾙ(ｻｰﾎﾞﾓｰﾀﾃﾞﾝｹﾞﾝ) | Cable (servo motor) | 1 | 1 | 1 |
| P139 | M97319099 | ｹｰﾌﾞﾙ(ﾆｭｳﾘｮｸｼﾝｺﾞｳ) | Cable (input signal) | 1 | 1 | 1 |
| P140 | M860A0FSW | ﾌｯﾄｽｲｯﾁ | Foot switch | 1 | 1 | 1 |


101
φ1.6
102
φ2.6
103
104
105
4.5
106, 107
6.5
108, 109
8.5
110


111
112
113
114
115


120 , 121


116 , 117


118 , 119

# R オプションパーツ
# OPTION PARTS

| Fig No. | 部品コード Parts No. | 品名 | Description | 数量 Amt.Req. 3530 | 3530L | 6030 |
|---|---|---|---|---|---|---|
| R101 | MS03A0101 | ﾊﾘｲﾀ(φ1.6) | Needle plate (φ1.6) | 1 | 1 | 1 |
| R102 | MS03A2101 | ﾊﾘｲﾀ(φ2.6) | Needle plate (φ2.6) | 1 | 1 | 1 |
| R103 | MS17A1120 | ﾅｶｶﾞﾏD(ｱﾂﾓﾉﾖｳ) | Inner hook D (for heavy) | 1 | 1 | 1 |
| R104 | MS01A1616 | ﾅｶｶﾞﾏｵｻｴ(ｱﾂﾓﾉﾖｳ) | Inner hook clamper(for heavy) | 1 | 1 | 1 |
| R105 | MV30A1256 | ﾅｶｵｻｴ(φ2) | Presser foot (φ2) | 1 | 1 | 1 |
| R106 | MS03A0256 | ﾅｶｵｻｴ(φ3) | Presser foot (φ3) | 1 | 1 | 1 |
| R107 | MS03A1256 | ﾅｶｵｻｴ(φ2) | Presser foot (φ2) | 1 | 1 | 1 |
| R108 | MA35A0256 | ﾅｶｵｻｴ(φ3) | Presser foot (φ3) | 1 | 1 | 1 |
| R109 | MA35A1256 | ﾅｶｵｻｴ(φ2) | Presser foot (φ2) | 1 | 1 | 1 |
| R110 | MV35A0106 | ｻﾗｵｻｴ(φ3) | Presser foot (φ3) | 1 | 1 | 1 |
| R111 | MS04E1210 | ｳﾜｲﾄﾁｮｳｾﾂｷｸﾐﾀﾃ | Thread tension regulator assy | 1 | 1 | 1 |
| R112 | MF10A1245 | ｴﾝｽｲﾊﾞﾈ(ﾌﾟﾘﾃﾝｼｮﾝ) | Thread pretension spring | 1 | 1 | 1 |
| R113 | MN10A3245 | ｴﾝｽｲﾊﾞﾈ(ｳﾜｲﾄﾁｮｳｾﾂｷ) | Tension regulator spring | 1 | 1 | 1 |
| R114 | MS03A0181 | ｲﾄｱﾝﾅｲｸﾐﾀﾃ | Thread guide assy | 1 | 1 | 1 |
| R115 | MS10A0180 | ｲﾄｱﾝﾅｲｸﾐﾀﾃ | Thread guide assy | 1 | 1 | 1 |
| R116 | MB35A1105 | ｿﾄｵｻｴｲﾀ(ｱﾅﾅｼ) | Clamp frame(blank) | 1 | | |
| R117 | MB36A1105 | ｿﾄｵｻｴｲﾀ(ｱﾅﾅｼ) | Clamp frame(blank) | | 1 | |
| R118 | MS18E1105 | ｿﾄｵｻｴｸﾐ(ｱﾅﾅｼ) | Clamp frame assy. (blank) | 1 | | |
| R119 | MB36E1105 | ｿﾄｵｻｴｸﾐ(ｱﾅﾅｼ) | Clamp frame assy. (blank) | | 1 | |
| R120 | MS18A0272 | ｼﾀｵｻｴｲﾀ(ｱﾅﾅｼ) | Feed plate(blank) | 1 | | |
| R121 | MA36A1272 | ｼﾀｵｻｴｲﾀ(ｱﾅﾅｼ) | Feed plate(blank) | | 1 | |